


Side cover with direct access for 2 3pole connectors for aluminum profiles Ofiblock Compact light gray Simon K45

REF. KCFC04/24



BASIC INFORMATION

DESCRIPTION

Side cover for two embedded quick connectors (Wieland type) for integration into K45 Ofiblock Compact. Grey color and made from high-quality halogen-free, self-extinguishing thermoplastic components, preventing flame propagation and smoke toxicity in case of fire.

FINISH

Grey

COMPATIBILITY

Ofiblocks Compact and Line
Simon K45

ETIM CLASS

EC000011

MATERIAL

Plastic

TECHNICAL INFORMATION

HEAT RESISTANCE (°C)

+125°C (according to standard IEC 60670)

KIT AVAILABILITY

No

RAL

7035

IP RATING

IP4X

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

INSTALLATION AND MAINTENANCE

REMOVAL OF COVER

Only with tool

EXTINGUISHING (°C)

+850 °C (according to standard IEC 60670)

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WEIGHT
UNIT
KGM

PACKAGING MEASUREMENT
UNIT
MMT

UNITARY PACKAGING WIDTH
0

PACKAGING EAN
8421053290330

PACKAGING VOLUME
329232

UNITARY PACKAGING LENGTH
0

UNITS CONTAINED PACKAGING
20

PACKAGING VOLUME UNIT
MMQ

UNITARY PACKAGING VOLUME
0

PACKAGING HEIGHT
57

PACKAGING GROSS WEIGHT
0.16

UNITARY PACKAGING GROSS
WEIGHT
0.006

PACKAGING WIDTH
76

PACKAGING NET WEIGHT
0.12

PRODUCT NET WEIGHT
0.006

PACKAGING LENGTH
76

PACKAGING WEIGHT UNIT
KGM