# Trim plate for cable outlet for 1 element white Simon K45

REF. **K10/9**



## BASIC INFORMATION

### DESCRIPTION

It is a trim plate designed for cabling of 1 element in white colour of the series Simon K45. This article includes rings to fasten the cabling using clamps. It also provides access to a wire cross-section of 2.005 mm $^2$. The product is manufactured in halogen-free thermoplastic material very safe in case of fire, as it guarantees the no-propagation of the flame, as well as to reduces the toxicity if any smoke. This plate is suitable for surface-mount installation and recess and is in compliance with the regulation. It has dimensions of 45 x 45 x 9 mm and, in addition, it is characterized by a high tolerance to the high temperatures. For optimum preservation, it is recommended that its installation in environments between -5 and 60 ° C For cleaning, you can use a soft dry cloth. Do not use abrasive cleaners containing chlorine.

### FINISH

White

### MATERIAL

Plastic

### COMPATIBILITY

Simon K45 enclosures for installation in the wall, floor, ceiling and furniture and Simon 500 Cima enclosures (need to be combined with the K45 to 500 Cima adaptor ref.50012088-030)

### PACKAGING CONTENTS

Plate for cable outlet

### ETIM CLASS

EC000011

### REMARKS

Includes rings to fasten the cables using cable ties. Allows access for a wire cross section of 2,005 mm$^2$

## TECHNICAL INFORMATION

### AVAILABLE MARKET
CE

### AVAILABLE IN
Plate versions with access through a tube or cable gland, using a combination of separate cabling and 20x30 trunking

### MAX TEMP DURING CONSTRUCTION WORK (°C)
+60° C

### INDICATOR FUNCTION
No

### IP RATING
IP20

### KIT AVAILABILITY
No

### MAINTENANCE
Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

### TEMPERATURE RANGE DURING INSTALLATION (°C)
-5 to 60° C

### NUMBER OF MODULES
Half

### RAL
9003

### VERSION
Single

## INSTALLATION AND MAINTENANCE

### TYPE OF FASTENING
Fixing by direct snap-fit, no tools needed

### INSTALLABLE IN FLUSH MOUNT JUNCTION BOX
Universal, specific Simon K45 and specific Simon 500 Cima using adaptor (ref.50012088-030)

### INSTALLATION DIRECTION
Vertical according to the direction of the mechanisms

### INSTALLATION TYPE
Suitable for surface and flush mounting

### REMOVAL OF THE PLATE
Only with tool

## REGULATIONS

### REGULATIONS
Directive 2014/35/UE LVD + EN 60670-1:2005

## LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WIDTH
0

UNITARY PACKAGING LENGTH
0

UNITARY PACKAGING VOLUME
0.3

UNITARY PACKAGING VOLUME UNIT
MMQ

UNITARY PACKAGING GROSS WEIGHT
0.01

PRODUCT NET WEIGHT
0.01

UNITARY PACKAGING WEIGHT UNIT
KGM

PACKAGING EAN
8426436019027

UNITS CONTAINED PACKAGING
20

PACKAGING HEIGHT
70

PACKAGING WIDTH
93

PACKAGING LENGTH
140

PACKAGING MEASUREMENT UNIT
MMT

PACKAGING VOLUME
911400

PACKAGING VOLUME UNIT
MMQ

PACKAGING GROSS WEIGHT
0.22

PACKAGING NET WEIGHT
0.2

PACKAGING WEIGHT UNIT
KGM