


Adaptor for mini trunking entry 20x50 mm white Simon 500 Cima

REF. 51020900-030



BASIC INFORMATION

DESCRIPTION

Derivar the cabling needed without the need masonry, with the mini-trunking adapter for input 20 x 50 mm of the collection Simon 500 Cima for boxes fixed on the wall, with finishes in white tones tone, this adapter, it is suitable for installation in enclosures wall-mounted surface-mounted, although it must be taken into account that, in case you need to adapt the input to mini-trunking of 20 x 30 mm, you have to use the specific adapter (reference 51010900-030). Composed of materials with thermoplastic isolated free of halogens, prevent the propagation of the flame and toxicity by smoke in case of fire, reaching a temperature range of installation of -5°C to 60 ° C With a size of 61 x 30 mm and a depth of 16 mm, the adapter for Simon 500 Cima is a guarantee of security, functionality, innovation and elegance to any work area.

FINISH

White

COMPATIBILITY

Surface-mount wall enclosures
Simon 500 Cima

PACKAGING CONTENTS

Adaptor for 20x50 mm mini
trunking entry

MATERIAL

Plastic

ETIM CLASS

EC002328

REMARKS

If you need to adapt the entry to a 20 x 30 mm mini trunking you must use article no. 51010900-030

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

IP RATING

IP20

TEMPERATURE RANGE DURING INSTALLATION (°C)

-5 to 60 °C

AVAILABLE IN

Adaptor available for 2 mini
trunking sizes 20 x 50 and 20 x
30 mm.

KIT AVAILABILITY

No

RAL

9003

MAX TEMP DURING CONSTRUCTION WORK (°C)

+60 °C

MAINTENANCE

Clean with a soft, dry cloth. Do
not use abrasive cloths or
cleaning products that contain
chlorine.

INSTALLATION AND MAINTENANCE

REMOVAL OF COVER

Only with tool

TYPE OF FASTENING

By placing the adaptor in the slots of the entries around the perimeter of the selected surface-mount wall box (no tools needed for fastening))

INSTALLATION DIRECTION

Horizontal, Vertical

INSTALLATION TYPE

Suitable for installing in surface-mount wall enclosures

REGULATIONS

REGULATIONS

Directive 2014/35/UE LVD + EN 60670-1:2005

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT

0

UNITARY PACKAGING WEIGHT UNIT

KGM

PACKAGING MEASUREMENT UNIT

MMT

UNITARY PACKAGING WIDTH

0

PACKAGING EAN

8421053092354

PACKAGING VOLUME

0.329

UNITARY PACKAGING LENGTH

0

UNITS CONTAINED PACKAGING

10

PACKAGING VOLUME UNIT

DMQ

UNITARY PACKAGING VOLUME

0

PACKAGING HEIGHT

57

PACKAGING GROSS WEIGHT

0

UNITARY PACKAGING GROSS WEIGHT

0.005

PACKAGING WIDTH

76

PACKAGING NET WEIGHT

0.05

PRODUCT NET WEIGHT


0.005

PACKAGING LENGTH

76

PACKAGING WEIGHT UNIT

KGM



61

