


Schuko socket 16 A 250V~ with C USB charger 10,5W aluminium Simon 270

REF. 20001432-093



BASIC INFORMATION

FINISH

Matt aluminium

COMPATIBILITY

Simon 270 frames

MATERIAL

Thermoplastic

ETIM CLASS

EC000125

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

IP RATING

IP20

USB CURRENT (A)

2,1 A

FORMAT

Schuko,USB

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

USB PORT TYPE

C

FREQUENCY

50 - 60 Hz

USB VOLTAGE (V~)

5 Vdc

CURRENT (A)

16 A

POWER SUPPLY (V~)

250 V~

VOLTAGE (V~)

250 V~

RAL

9006

INSTALLATION AND MAINTENANCE

CABLE STRIPPING NECESSARY (MM)

10

INSTALLATION DIRECTION

Horizontal

TYPE OF TERMINAL CONNECTION - FUNCTION 1

Screw

REGULATIONS

REGULATIONS

Dir. 2014/35/UE LVD | Dir. 2014/30/UE EMC | Dir. 2011/65/UE RoHS + post. mod. | Dir. 2009/125/EC ErP (Reg. UE 2019/1782) | EN 50563:2011 | EN 50563:2011 A1:2013 | EN IEC 62368-1:2020 | EN IEC 62368-1:2020 A11:2020 | EN IEC 63000:2018 | ETSI EN 301489-34 V2.1.1 | IEC 60884-1 Ed 3.2 | UNE 20315-1-1:2017 | UNE 20315-1-2:2017 | DS 60884-2-D1:2023

LOGISTICS INFORMATION

UNITARY EAN CODE

8421053330944

UNITARY PACKAGING HEIGHT

0

UNITARY PACKAGING WIDTH

0

UNITARY PACKAGING LENGTH

0

UNITARY PACKAGING MEASUREMENT UNIT

MMT

UNITARY PACKAGING VOLUME

0

UNITARY PACKAGING VOLUME UNIT

MMQ

UNITARY PACKAGING GROSS WEIGHT

0.092

PRODUCT NET WEIGHT

0.072

UNITARY PACKAGING WEIGHT UNIT

KGM

PACKAGING EAN

8421053330944

UNITS CONTAINED PACKAGING

1

PACKAGING HEIGHT

46.9

PACKAGING WIDTH

54.9

PACKAGING LENGTH

54.9

PACKAGING MEASUREMENT UNIT

MMT

PACKAGING VOLUME

141357.069

PACKAGING VOLUME UNIT

MMQ

PACKAGING GROSS WEIGHT


0.092

PACKAGING NET WEIGHT

0.072

PACKAGING WEIGHT UNIT

KGM



Para información más detallada consultar la hoja de instrucciones
For more detailed information check the instruction sheet