simon

Plate for inductive R/TV+SAT sockets grey Simon 27 Play

REF. 27097-37



BASIC INFORMATION

FINISH MATERIAL PACKAGING CONTENTS

Grey Plastic Plate

SYMBOL COMPATIBILITY ETIM CLASS

Without engravings Simon 75 mechanisms EC000018

REMARKS

Available in 4 finishes. It is recommended to choose a frame the same colour as the selected plate.



simon

TECHNICAL INFORMATION

NUMBER OF POSSIBLE

ELEMENTS

1 element

FORMAT

R/TV,SAT

INDICATOR FUNCTION

No

IP RATING

IP20

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain

chlorine.

NUMBER OF MODULES

2 modules

OPERATING TEMPERATURE

RANGE (°C)

5 - 40 °C

STORAGE TEMPERATURE RANGE

(°C)

-25 - 50 °C

VERSION

Single

INSTALLATION AND MAINTENANCE

INSTALLATION DIRECTION

Vertical and horizontal

INSTALLATION TYPE

Suitable for surface and flush

mounting

REGULATIONS

REGULATIONS

Dir. 2014/30/UE EMC|Dir. 2011/65/UE RoHS + post. mod.|EN 50083-2:2012|EN 50083-2:2012 A1:2015|EN IEC 63000:2018



simon

LOGISTICS INFORMATION

UNITARY EAN CODE

8421053251393

UNITARY PACKAGING GROSS

WEIGHT

0.024

UNITARY PACKAGING HEIGHT

0

UNITARY PACKAGING LENGTH

0

PRODUCT NET WEIGHT

0.024

UNITARY PACKAGING VOLUME

1584636

UNITARY PACKAGING VOLUME

UNIT

MMQ

UNITARY PACKAGING WEIGHT

UNIT

KGM

UNITARY PACKAGING WIDTH

0

PACKAGING EAN

8421053071328

PACKAGING GROSS WEIGHT

0.12

PACKAGING HEIGHT

86

PACKAGING LENGTH

222

PACKAGING NET WEIGHT

0.12

UNITS CONTAINED PACKAGING

5

PACKAGING MEASUREMENT

UNIT

MMT

PACKAGING VOLUME

1.585

PACKAGING VOLUME UNIT

DMQ

PACKAGING WEIGHT UNIT

KGM

PACKAGING WIDTH

83

