

Spotlight 640.32 Surface mount WW CRI92 Spot Black

REF. 64032038-293



BASIC INFORMATION

DESCRIPTION

If you are looking for that its objects or products have the highest quality of colour, the spotlight with Simon 640.32 colour rendering index CRI90 and photometric SPOT optics, guarantees colour rendering faithful compared to other types of light sources. With control of switching on and a dimension 145x75 () mm, has a colour temperature of 3000K for a shade warm WW, and a performance of 650 lm, with a total luminaire consumption of 9 W with a service life of 30,000 hours at 25 ° C, the installation of the spotlight 460.32 is compatible with power supplies of 120-240 Volts and 50-60 Hz. Designed for an installation in surface-mounted or suspended, it fits perfectly into all types of spaces, adding a touch of distinction and elegance with its finishes in a discreet colour black. Most vivid colours and to the spotlight 460.32 CRI90 of Simon.

APPLICATION

Accent lighting, General lighting

ETIM CLASS

EC001744

TECHNICAL INFORMATION

FREQUENCY

50 - 60 Hz

CRI

92

LUMENS (LM)

650 lm

IP RATING

IP20

DRIVER INCLUDED

Yes

LUMENS/W

650 lm/9W

OPERATING TEMPERATURE RANGE (°C)

35 °C maximum

ELECTRICAL CLASS

type 1

OPTICS

Spot

POWER SUPPLY (V~)

120/240 V~

L70 (°C)

100,000 h at 25° C

PHOTOBIOLOGICAL CLASSIFICATION

Exempt category

COLOR TEMPERATURE (K)

3000 K

L90 (°C)

30,000 h at 25 °C

POWER (W)

9 W

CONTROL

On/Off

COLOR TYPE

WW

SERVICE LIFE

50.000 h

LIGHTING EFFICIENCY (LM/W)

73 lm/W

CHROMATICS CRI ICONS

CRI
92

INSTALLATION AND MAINTENANCE

INSTALLATION ALTERNATIVES

Suspended

INSTALLATION TYPE

Surface

REGULATIONS

WARRANTY

5 years 50,000 h

LOGISTICS INFORMATION

UNITARY EAN CODE

8421053141250

UNITARY PACKAGING HEIGHT

0

UNITARY PACKAGING WIDTH

0

UNITARY PACKAGING LENGTH

0

UNITARY PACKAGING VOLUME

0

UNITARY PACKAGING GROSS WEIGHT

0.586

PRODUCT NET WEIGHT

0.5

UNITARY PACKAGING WEIGHT UNIT

KGM

PACKAGING EAN

8421053141250

UNITS CONTAINED PACKAGING

1

PACKAGING HEIGHT

100

PACKAGING WIDTH

150

PACKAGING LENGTH

200

PACKAGING MEASUREMENT UNIT

MMT

PACKAGING VOLUME

3000000

PACKAGING VOLUME UNIT

MMQ

PACKAGING GROSS WEIGHT

0

PACKAGING NET WEIGHT

0.5

PACKAGING WEIGHT UNIT

KGM