# Downlight 703.23 Round Orientable NW Spot DALI White

REF. **70323330-284**




## BASIC INFORMATION

| APPLICATION | PACKAGING CONTENTS | ETIM CLASS |
| --- | --- | --- |
| Hotel,Restaurants,Residential,Retail,Office,Healthcare,Education | 1 Unit | EC001744 |

## TECHNICAL INFORMATION

**FREQUENCY**
50 - 60 Hz

**IP RATING**
IP20

**OPERATING TEMPERATURE RANGE (°C)**
15 - 35 °C

**POWER SUPPLY (V~)**
100/240 V~

**COLOR TEMPERATURE (K)**
4000 K

**CONTROL**
DALI

**CRI**
80

**CUT OFF**
Yes

**DRIVER INCLUDED**
Yes

**L70 (°C)**
30,000 h at 25 °C

**LIGHT BEAM APERTURE ANGLE (°)**
20°

**COLOR TYPE**
NW

**LIGHTING EFFICIENCY (LM/W)**
94 lm/W

**LUMENS (LM)**
700 lm

**LUMENS/W**
700 lm/7.5 W

**OPTICS**
Spot

**PHOTOBIOLOGICAL CLASSIFICATION**
Exempt category

**POWER (W)**
7.5 W

**SERVICE LIFE**
30.000 h

**CHROMATICS CRI ICONS**




## INSTALLATION AND MAINTENANCE

**INSTALLATION TYPE**
Flush-mount

## REGULATIONS

WARRANTY
3 years

## LOGISTICS INFORMATION

UNITARY EAN CODE
8421053088937

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WIDTH
0

UNITARY PACKAGING LENGTH
0

UNITARY PACKAGING VOLUME
0

UNITARY PACKAGING GROSS WEIGHT
0.401

PRODUCT NET WEIGHT
0.28

UNITARY PACKAGING WEIGHT UNIT
KGM

PACKAGING EAN
8421053088937

UNITS CONTAINED PACKAGING
1

PACKAGING HEIGHT
110

PACKAGING WIDTH
135

PACKAGING LENGTH
170

PACKAGING MEASUREMENT UNIT
MMT

PACKAGING VOLUME
2524500

PACKAGING VOLUME UNIT
MMQ

PACKAGING GROSS WEIGHT
0.31

PACKAGING NET WEIGHT
0.28

PACKAGING WEIGHT UNIT
KGM