Back kit for 1 Simon iO switch Simon 100

REF. **10010112-039**



BASIC INFORMATION

PACKAGING CONTENTS

Mechanism and instructions

ETIM CLASS

EC001590

TECHNICAL INFORMATION

AVAILABLE MARKET
CE

NUMBER OF POSSIBLE ELEMENTS
1 element

INDICATOR FUNCTION
Yes

CURRENT (A)
10 AX

CONNECTIVITY PROTOCOL
Z-wave

TYPE OF MECHANISM
Push button rocker switch

OPERATING TEMPERATURE RANGE (°C)
5 - 40 °C

STORAGE TEMPERATURE RANGE (°C)
-25 - 50 °C

INSTALLATION AND MAINTENANCE

CLAW

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX
Universal

INSTALLATION DIRECTION
Vertical and horizontal

INSTALLATION TYPE
Suitable for flush mounting

TYPE OF TERMINAL CONNECTION - FUNCTION 1
1 click connection (1 click®)

REGULATIONS

REGULATIONS
Directive 2014/35/UE LVD + Directive 2014/30/UE EMC + Directive 2011/65/UE RoHS + EN 50581:2012 + EN 60669-2-1:2004 + EN 60669-2-1:2004 A1:2009 + EN 60669-2-1:2004 A12:2010

LOGISTICS INFORMATION

UNITARY EAN CODE
8421053201251

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WIDTH
0

UNITARY PACKAGING LENGTH
0

UNITARY PACKAGING VOLUME
0

UNITARY PACKAGING GROSS WEIGHT
0.123

PRODUCT NET WEIGHT
0.123

UNITARY PACKAGING WEIGHT UNIT
KGM

PACKAGING EAN
8421053201251

UNITS CONTAINED PACKAGING
1

PACKAGING HEIGHT
76

PACKAGING WIDTH
90

PACKAGING LENGTH
88

PACKAGING MEASUREMENT UNIT
MMT

PACKAGING VOLUME
601920

PACKAGING VOLUME UNIT
MMQ

PACKAGING GROSS WEIGHT
0

PACKAGING NET WEIGHT
0.123

PACKAGING WEIGHT UNIT
KGM