
Frame holder for 2 elements with adhesive for Simon iO master push-button switch Simon 100

REF. **10001920-039**



BASIC INFORMATION

MATERIAL
Stainless steel

PACKAGING CONTENTS
Mechanism and instructions

COMPATIBILITY
Simon 100 Mechanisms

ETIM CLASS
EC002948

TECHNICAL INFORMATION

AVAILABLE MARKET
CE

AVAILABLE IN
1, 2, 3 and 4 elements

IP RATING
IP20

MAINTENANCE
Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

OPERATING TEMPERATURE RANGE (°C)
0 - 40 °C

STORAGE TEMPERATURE RANGE (°C)
-25 - 75 °C

VERSION
2 elements

INSTALLATION AND MAINTENANCE

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX
Universal

INSTALLATION DIRECTION
Horizontal, Vertical

INSTALLATION TYPE
Suitable for flush mounting

REGULATIONS

REGULATIONS
Directive 2014/35/UE LVD + Directive 2011/65/UE RoHS + EN 50581:2012 + EN 60669-1:1999 + EN 60669-1:1999 A1:2002 + EN 60669-1:1999 A2:2008

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WIDTH
0

UNITARY PACKAGING LENGTH
0

UNITARY PACKAGING VOLUME
0

UNITARY PACKAGING GROSS WEIGHT
0.029

PRODUCT NET WEIGHT
0.029

UNITARY PACKAGING WEIGHT UNIT
KGM

PACKAGING EAN
8421053227374

UNITS CONTAINED PACKAGING
5

PACKAGING HEIGHT
25.3

PACKAGING WIDTH
84

PACKAGING LENGTH
155

PACKAGING MEASUREMENT UNIT
MMT

PACKAGING VOLUME
329406

PACKAGING VOLUME UNIT
MMQ

PACKAGING GROSS WEIGHT
0.145

PACKAGING NET WEIGHT
0.145

PACKAGING WEIGHT UNIT
KGM