

RJ12 telephone socket with 6 contacts ivory Simon 27 Play

REF. 27481-32



BASIC INFORMATION

DESCRIPTION

Telephone socket with six RJ12 pins finished in ivory colour of the Simon 27 Play series, the Simon 27 Play collection is one of the most widely available connectors available and is therefore one of the most widely used to install electronic elements in every corner of your home. The installation is carried out by means of a screw-terminal connection and its operation is by insertion. It is also suitable for surface or flush mounting, so that you can choose the option that best suits you to install in your home, the manufacture of the element has been made with the best materials you can imagine using metal components with halogen-free insulation and thermoplastic trim, you have to take into account that the dimensions of the element 45x45 mm Thanks to the innumerable options of personalization you will have elements to your taste for every corner of your house, always offering the adaptation to what you want, so that your house is always decorated to your taste.

FINISH

Ivory

COMPATIBILITY

Simon 27 Play, Simon 27 Neos, Simon 27 Scudo, Simon 27, Simon 27 Centralisations and Simon 44 Aqua frames

PACKAGING CONTENTS

Telephone socket with 6 RJ12 pins

ETIM CLASS

EC000018

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

CABLE SECTION ADMITTED (MM)

From 0,3 to 0,5 mm

NUMBER OF CONNECTORS

1

CONNECTOR TYPE

RJ12

NUMBER OF CONTACTS

6

NUMBER OF POSSIBLE ELEMENTS

1 element

FORMAT

RJ

IP RATING

IP20

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

TYPE OF MECHANISM

Insertion

OPERATING TEMPERATURE RANGE (°C)

5 - 40 °C

STORAGE TEMPERATURE RANGE (°C)

-25 - 50 °C

TYPE

Category 3

VERSION

Single

NUMBER OF WIRES

2

INSTALLATION AND MAINTENANCE

CABLE STRIPPING NECESSARY (MM)

12

CLAW

Simon 27

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

Universal, American and Centralisations

INSTALLATION TYPE

Suitable for surface and flush mounting

TYPE OF TERMINAL CONNECTION - FUNCTION 1

Screw

REGULATIONS

REGULATIONS

Directive 2011/65/UE RoHS + EN 50581:2012

LOGISTICS INFORMATION

UNITARY EAN CODE

8421053252253

UNITARY PACKAGING HEIGHT

27

UNITARY PACKAGING WIDTH

45.7

UNITARY PACKAGING LENGTH

45.7

UNITARY PACKAGING MEASUREMENT UNIT

MMT

UNITARY PACKAGING VOLUME

0.056

UNITARY PACKAGING VOLUME UNIT

MMQ

UNITARY PACKAGING GROSS WEIGHT

0.026

PRODUCT NET WEIGHT

0.018

UNITARY PACKAGING WEIGHT UNIT

KGM

PACKAGING EAN

8421053010754

UNITS CONTAINED PACKAGING

10

PACKAGING HEIGHT

52

PACKAGING WIDTH

105

PACKAGING LENGTH

220

PACKAGING MEASUREMENT UNIT

MMT

PACKAGING VOLUME

1201200

PACKAGING VOLUME UNIT

MMQ

PACKAGING GROSS WEIGHT

0.26

PACKAGING NET WEIGHT

0.18

PACKAGING WEIGHT UNIT

KGM