

Downward flat angle accessory for Cablomax trunking 130x55mm aluminum

REF. TKA021110/8



BASIC INFORMATION

DESCRIPTION

Accessory for Cablomax channel made of aluminum 130x55 mm. Adapts the channel to 90° downward bends on the same plane. Manufactured with high-quality thermoplastic materials and in aluminum finish for proper integration with the channel.

FINISH

Aluminium

MATERIAL

Aluminium

ETIM CLASS

EC000876

REMARKS

The product installation can be supplemented with related accessories, as well as combined with K45 functions.

TECHNICAL INFORMATION

IK CLASSIFICATION

07

KIT AVAILABILITY

No

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

IP RATING

IP4X

INSTALLATION AND MAINTENANCE

REMOVAL OF COMPONENTS

Only with tool

REMOVAL OF THE FRAME

Only with tool

REMOVAL OF COVER

Only with tool

INSTALLATION TYPE

On Wall and Ceiling

LOGISTICS INFORMATION

UNITARY EAN CODE

8426436033658

PRODUCT NET WEIGHT

0.902

PACKAGING MEASUREMENT UNIT

MMT

UNITARY PACKAGING HEIGHT

0

UNITARY PACKAGING WEIGHT UNIT

KGM

PACKAGING VOLUME

3316950

UNITARY PACKAGING WIDTH

0

PACKAGING EAN

8426436033658

PACKAGING VOLUME UNIT

MMQ

UNITARY PACKAGING LENGTH

0

UNITS CONTAINED PACKAGING

1

PACKAGING GROSS WEIGHT

0.902

UNITARY PACKAGING VOLUME

3316950

PACKAGING HEIGHT

63

PACKAGING NET WEIGHT

0.902

UNITARY PACKAGING VOLUME UNIT

MMQ

PACKAGING WIDTH

130

PACKAGING WEIGHT UNIT

KGM

UNITARY PACKAGING GROSS WEIGHT

0.902

PACKAGING LENGTH

405