# Voice and data angled plate with dust cover for 2 AVAYA® RJ45 connectors ivory Simon 27 Play

REF. **27086-32**



## BASIC INFORMATION

### DESCRIPTION

This voice and data plate has an inclined appearance and features 2 AVAYA ® RJ45 connectors. It is of the Simon 27 Play series, ivory colour and, in addition, it is available in 3 finishes. It has 2 modules and is made of thermoplastic, a material resistant to extreme temperatures, its dimensions are 45x45 mm and comes in single unit of a, the piece is suitable to be recessed, and it is recommended to be installed in environments whose temperatures range between 5 and 40º, also includes a dust shutter. This type of panels are designed for offices, libraries, hotels and, in short, working environments, for their easy installation and maintenance. The inclination of the plate ensures a correct degree of curvature in the data installations. For an optimal result, it is advisable to choose a frame of the same colour as the plate in question.

### FINISH

Ivory

### MATERIAL

Plastic

### PACKAGING CONTENTS

Plate

### SYMBOL

Without engravings

### COMPATIBILITY

Simon 75 connectors

### ETIM CLASS

EC000018

### REMARKS

Available in 3 finishes. It is recommended to choose a frame the same colour as the selected plate.

## TECHNICAL INFORMATION

**AVAILABLE MARKET**
CE

**COMPATIBLE WITH CONNECTORS**
AVAYA

**NUMBER OF CONNECTORS**
2

**DUST SHUTTER**
Yes

**NUMBER OF POSSIBLE ELEMENTS**
1 element

**FORMAT**
RJ45

**INDICATOR FUNCTION**
No

**IP RATING**
IP20

**MAINTENANCE**
Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

**NUMBER OF MODULES**
2 modules

**OPERATING TEMPERATURE RANGE (°C)**
5 - 40 °C

**PLATE TYPE**
Angled

**RJ45 ADAPTOR MODULE**
Not included

**STORAGE TEMPERATURE RANGE (°C)**
-25 - 50 °C

**VERSION**
Single

## INSTALLATION AND MAINTENANCE

**INSTALLATION DIRECTION**
Horizontal, Vertical

**INSTALLATION TYPE**
Suitable for surface and flush mounting

## REGULATIONS

**REGULATIONS**
Directive 2011/65/UE RoHS + EN 50581:2012

## LOGISTICS INFORMATION

UNITARY EAN CODE
8421053251294

UNITARY PACKAGING HEIGHT
37.5

UNITARY PACKAGING WIDTH
46

UNITARY PACKAGING LENGTH
45

UNITARY PACKAGING MEASUREMENT UNIT
MMT

UNITARY PACKAGING VOLUME
0.078

UNITARY PACKAGING VOLUME UNIT
MMQ

UNITARY PACKAGING GROSS WEIGHT
0.019

PRODUCT NET WEIGHT
0.004

UNITARY PACKAGING WEIGHT UNIT
KGM

PACKAGING EAN
8421053055274

UNITS CONTAINED PACKAGING
10

PACKAGING HEIGHT
52

PACKAGING WIDTH
105

PACKAGING LENGTH
221

PACKAGING MEASUREMENT UNIT
MMT

PACKAGING VOLUME
1206660

PACKAGING VOLUME UNIT
MMQ

PACKAGING GROSS WEIGHT
0.185

PACKAGING NET WEIGHT
0.04

PACKAGING WEIGHT UNIT
KGM