

SLIM SYSTEM modular luminaire Intermediate connector DALI/0-10V

REF. 91895208-999



BASIC INFORMATION

BODY MATERIAL

Aluminium

PACKAGING CONTENTS

1 unit

APPLICATION

Domestic, Office, Retail, Hotel, Contract

ETIM CLASS

EC002556

TECHNICAL INFORMATION

IP RATING

IP20

DRIVER INCLUDED

No

ENERGY EFFICIENCY

A+

CONTROL

DALI,0-10 V

ELECTRICAL CLASS

III

INSTALLATION AND MAINTENANCE

INSTALLATION TYPE

Suspended/Wall-mounted/Ceiling

REGULATIONS

WARRANTY

5 years

LOGISTICS INFORMATION

UNITARY EAN CODE

8436547079674

UNITARY PACKAGING WEIGHT
UNIT

KGM

PACKAGING MEASUREMENT
UNIT

MMT

UNITARY PACKAGING HEIGHT

0

PACKAGING EAN

8436547079674

PACKAGING VOLUME

0

UNITARY PACKAGING WIDTH

0

UNITS CONTAINED PACKAGING

1

PACKAGING VOLUME UNIT

MMQ

UNITARY PACKAGING LENGTH

0

PACKAGING HEIGHT

0

PACKAGING GROSS WEIGHT

0.56

UNITARY PACKAGING VOLUME

0

PACKAGING WIDTH

70

PACKAGING NET WEIGHT

0.435

UNITARY PACKAGING GROSS
WEIGHT

0.56

PACKAGING LENGTH

100

PACKAGING WEIGHT UNIT

KGM

PRODUCT NET WEIGHT

0.435