# Downward flat angle accessory for Cablomax trunking 170x55mm PVC

REF. **TKA021213/9**



## BASIC INFORMATION

### DESCRIPTION

Cablomax aluminum channel accessory 170x55 mm. Adapts the channel to downward turns of 90° in the same plane. Made with high-quality thermoplastic materials and finished in white for proper integration with the channel.

| FINISH | MATERIAL | ETIM CLASS |
| --- | --- | --- |
| White | PVC | EC000876 |

### REMARKS

The product installation can be supplemented with related accessories, as well as combined with K45 functions.

## TECHNICAL INFORMATION

### IK CLASSIFICATION
07

### IP RATING
IP4X

### KIT AVAILABILITY
No

### MAINTENANCE
Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

## INSTALLATION AND MAINTENANCE

### REMOVAL OF COMPONENTS
Only with tool

### REMOVAL OF COVER
Only with tool

### REMOVAL OF THE FRAME
Only with tool

### INSTALLATION TYPE
On Wall and Ceiling

## LOGISTICS INFORMATION

UNITARY EAN CODE
8426436033689

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WIDTH
0

UNITARY PACKAGING LENGTH
0

UNITARY PACKAGING VOLUME
7483280

UNITARY PACKAGING VOLUME UNIT
MMQ

UNITARY PACKAGING GROSS WEIGHT
1.107

PRODUCT NET WEIGHT
1.107

UNITARY PACKAGING WEIGHT UNIT
KGM

PACKAGING EAN
8426436033689

UNITS CONTAINED PACKAGING
1

PACKAGING HEIGHT
98

PACKAGING WIDTH
230

PACKAGING LENGTH
332

PACKAGING MEASUREMENT UNIT
MMT

PACKAGING VOLUME
7483280

PACKAGING VOLUME UNIT
MMQ

PACKAGING GROSS WEIGHT
1.11

PACKAGING NET WEIGHT
1.107

PACKAGING WEIGHT UNIT
KGM