

Ofiblock Line frame for 1 element for recessing into furniture stainless steel Simon K45

REF. KSF131/8



BASIC INFORMATION

DESCRIPTION

With dimensions of 76 x 121 x 58 mm, the series Simon K45 has in its wide catalog of products of the Frame Ofiblock Line for one element to be flush mounted in furniture finished in stainless steel. Its installation can be carried out in a comfortable and simple way in any furniture, without using claws, measuring 10 mm in thickness. The structure of the frame has been manufactured with brushed effect stainless steel and is available in 1, 2, 4 and 6 elements, being suitable to be flush mounted in furniture in a simple way in just a few minutes and without the need for previous professional knowledge, all this with the motto that have accompanied Simon since its beginnings in the electrical systems sector: Security, reliability and design with the highest quality at the best price.

FINISH

Stainless steel

MATERIAL

Metal

COMPATIBILITY

Simon K45 Ofiblock Line
aluminium profiles and Ofiblock
Compact

PACKAGING CONTENTS

Ofiblock Line frame for recessing
into furniture, and installation
manual.

ETIM CLASS

EC002759

REMARKS

Installation of any furniture (without using claws) measuring 10 mm in thickness or above.

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

AVAILABLE IN

Available in 1, 2, 4 and 6 elements.

MAX TEMP DURING CONSTRUCTION WORK (°C)

+60° C

HEAT RESISTANCE (°C)

+125°C (according to standard IEC 60670)

INSULATION RESISTANCE (V-MΩ)

>5 MOhm at 500 V

IP RATING

IP4X

KIT AVAILABILITY

No

LINKABLE

No

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

TEMPERATURE RANGE DURING INSTALLATION (°C)

-5 to 60° C

NUMBER OF MODULES

1 module

MONOBLOCK

No

RECESS DIMENSION (MM)

105 x 64 mm

VERSION

1 element

INSTALLATION AND MAINTENANCE

REMOVAL OF COMPONENTS

Only with tool

EXTINGUISHING (°C)

+850 °C (according to standard IEC 60670)

TYPE OF FASTENING

Using side screws to fix the Ofiblock Line frame to the furniture. Alternatively, you can use the set of clamps (ref.KSF7) which does not require screwing the Ofiblock Line frame to the furniture.

REMOVAL OF THE FRAME

Only with tool

INSTALLATION DIRECTION

Horizontal.

INSTALLATION TYPE

Suitable for embedding in furniture.

SECURING POSSIBILITIES

Its design allows recessed integration in any type of furniture

MOUNTING WITHOUT ACCESSORIES

The mirror includes holes on the sides for attachment without needing accessories.

REGULATIONS

REGULATIONS

Directive 2014/35/UE LVD + EN 60670-1:2005

LOGISTICS INFORMATION

UNITARY EAN CODE

8421053117798

UNITARY PACKAGING HEIGHT

0

UNITARY PACKAGING WIDTH

0

UNITARY PACKAGING LENGTH

0

UNITARY PACKAGING VOLUME

0

UNITARY PACKAGING GROSS WEIGHT

0.207

PRODUCT NET WEIGHT

0.207

UNITARY PACKAGING WEIGHT UNIT

KGM

PACKAGING EAN

8421053117798

UNITS CONTAINED PACKAGING

1

PACKAGING HEIGHT

70

PACKAGING WIDTH

93

PACKAGING LENGTH

149

PACKAGING MEASUREMENT UNIT

MMT

PACKAGING VOLUME

13931400

PACKAGING VOLUME UNIT

MMQ

PACKAGING GROSS WEIGHT

0.207

PACKAGING NET WEIGHT

0.207

PACKAGING WEIGHT UNIT

KGM