

German socket outlet 16A 250V~ with safety device and screw terminal connection red Simon 31

REF. 31432-67



BASIC INFORMATION

DESCRIPTION

The Simon 31 series stands out for the power sockets included in its extensive catalogue. One of the most sold in this range is the Schuko ground connection socket with a current of 16 A and a voltage of 250V~ with screw terminal connection in red finish. With has a simple insertion operation, this socket outlet is ideal for buildings with children, such as hospitals, hotels or educational centres, as the covers include the child protection function. The metal components with halogen-free insulation and thermoplastic trim with which it has been manufactured gives it a resistance to knocks. The ease with which its structure is cleaned and its competitive price are other great advantages of this socket outlet of 64x65 mm, which has a cable section of 2.5 mm and wire stripping of 13 mm.

FINISH

Red

PACKAGING CONTENTS

Socket outlet with cover

COMPATIBILITY

Simon 31 frames

ETIM CLASS

EC000125

REMARKS

The covers include a child-proof protective feature.

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

CURRENT (A)

16 A

MONOBLOCK

No

CABLE SECTION ADMITTED (MM)

2,5 mm

IP RATING

IP21

OPERATING TEMPERATURE

RANGE (°C)

5 - 40 °C

NUMBER OF POSSIBLE ELEMENTS

1 element

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

STORAGE TEMPERATURE RANGE

(°C)

-25 - 50 °C

FORMAT

Schuko

TYPE OF MECHANISM

Insertion

VERSION

Single

INDICATOR FUNCTION

No

VOLTAGE (V~)

250 V~

INSTALLATION AND MAINTENANCE

CABLE STRIPPING NECESSARY (MM)

13

INSTALLATION TYPE

Suitable for surface and flush mounting

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

Universal

TYPE OF TERMINAL CONNECTION - FUNCTION 1

Screw

REGULATIONS

REGULATIONS

UNE 20315-1-1:2009, UNE 20315-1-2:2009

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WEIGHT
UNIT
KGM

PACKAGING MEASUREMENT
UNIT
MMT

UNITARY PACKAGING WIDTH
0

PACKAGING EAN
8421053073230

PACKAGING VOLUME
3.027

UNITARY PACKAGING LENGTH
0

UNITS CONTAINED PACKAGING
10

PACKAGING VOLUME UNIT
DMQ

UNITARY PACKAGING VOLUME
0

PACKAGING HEIGHT
83

PACKAGING GROSS WEIGHT
1.025

UNITARY PACKAGING GROSS
WEIGHT
0.103

PACKAGING WIDTH
165

PACKAGING NET WEIGHT
1.03

PRODUCT NET WEIGHT
0.103

PACKAGING LENGTH
221

PACKAGING WEIGHT UNIT
KGM