

## Kit 3 LOOP Wall-mounted luminaires + 1 driver On/Off White

REF. 91229954C300



### BASIC INFORMATION

#### BODY MATERIAL

Die-cast aluminium

#### APPLICATION

Domestic, Office, Retail, Hotel, Contract Units

#### PACKAGING CONTENTS

## TECHNICAL INFORMATION

### FREQUENCY

50 - 60 Hz

### CRI

80

### COLOR TYPE

NW

### IP RATING

IP20

### DIRECTIONAL

Yes

### LIGHTING EFFICIENCY (LM/W)

hasta 26 lm/W

### OPERATING TEMPERATURE RANGE (°C)

0 - 35 °C

### DRIVER INCLUDED

Yes

### LUMENS (LM)

231 lm

### POWER SUPPLY (V~)

110/240 V~

### ELECTRICAL CLASS

II

### NUMBER OF LUMINAIRES

3

### RAL

9016

### ENERGY EFFICIENCY

A+

### MACADAM STEPS

<3 Step MacAdam

### COLOR TEMPERATURE (K)

3000 K

### L70 (°C)

20000h at 25°C

### OPTICS

General 112°

### CONTROL

On/Off

### LIGHT BEAM APERTURE ANGLE (°)

112°

### POWER FACTOR (Φ)

> 0,11

### POWER (W)

9 W

## INSTALLATION AND MAINTENANCE

### INSTALLATION TYPE

Trimless

## REGULATIONS

### EAC MARKED

Yes

### ECORRAE MARKED

Yes

### WARRANTY

3 years

## LOGISTICS INFORMATION

### UNITARY PACKAGING HEIGHT

0

### UNITARY PACKAGING VOLUME

0

### UNITARY PACKAGING WEIGHT UNIT

KGM

### UNITARY PACKAGING WIDTH

0

### UNITARY PACKAGING GROSS WEIGHT

0

### PACKAGING NET WEIGHT

0

### UNITARY PACKAGING LENGTH

0

### PRODUCT NET WEIGHT

0