

## Set of 2 switches 10AX 250V~ with fast terminal connection system white Simon 31

REF. 31398-30



## BASIC INFORMATION

### DESCRIPTION

Group of 2 switches 10 AX 250V~ with quick terminal connection system of white colour and included in the Simon 31 series. This collection is equipped with mechanisms of simple and functional lines that, nevertheless, have the ability to update any environment. The mechanism is available in 5 different finishes, the ideal is to choose a frame with the same finish as the rocker in question for a more satisfying result. The product has dimensions of 64x65 mm and is manufactured in compliance with the regulation. It consists of metal components with halogen-free thermoplastic insulation, a material that provides maximum protection in the home. Meanwhile, the trim is made of thermo-stable plastic. This article is characterized by a high resistance to extreme temperatures, although it is advisable to install it in environments between 5 and 40°C. For maintenance, you can use a soft cloth and moistened in soapy water and avoid the use of abrasive cleaners.

### FINISH

White

### PACKAGING CONTENTS

Mechanism with rocker

### COMPATIBILITY

Simon 31 frames

### ETIM CLASS

EC001590

### REMARKS

Available in 5 finishes. It is recommended to choose a frame the same colour as the selected rocker.

## TECHNICAL INFORMATION

### AVAILABLE MARKET

CE

### CURRENT (A)

10 AX

### OPERATING TEMPERATURE RANGE (°C)

5 - 40 °C

### CABLE SECTION ADMITTED (MM)

From 1,5 to 2,5 mm

### IP RATING

IP21

### STORAGE TEMPERATURE RANGE (°C)

-25 - 50 °C

### NUMBER OF POSSIBLE ELEMENTS

1 element

### MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

### VERSION

Double

### INDICATOR FUNCTION

No

### TYPE OF MECHANISM

Pivoting

### VOLTAGE (V~)

250 V~

## INSTALLATION AND MAINTENANCE

### CABLE STRIPPING NECESSARY (MM)

11

### INSTALLATION TYPE

Suitable for surface and flush  
mounting

### INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

Universal

### TYPE OF TERMINAL CONNECTION - FUNCTION 1

Fast

## REGULATIONS

### REGULATIONS

UNE-EN 60669-1:2002 + A1:2003 + A2:2009

## LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT

0

PRODUCT NET WEIGHT

0.083

PACKAGING MEASUREMENT  
UNIT

MMT

UNITARY PACKAGING WIDTH

0

UNITARY PACKAGING WEIGHT  
UNIT

KGM

PACKAGING VOLUME

3026595

UNITARY PACKAGING LENGTH

0

PACKAGING EAN

8421053005989

PACKAGING VOLUME UNIT

MMQ

UNITARY PACKAGING VOLUME

0

UNITS CONTAINED PACKAGING

10

PACKAGING GROSS WEIGHT

0.85

UNITARY PACKAGING VOLUME  
UNIT

MMQ

PACKAGING HEIGHT

83

PACKAGING NET WEIGHT

0.83

UNITARY PACKAGING GROSS  
WEIGHT

0.083

PACKAGING WIDTH

165

PACKAGING WEIGHT UNIT

KGM

PACKAGING LENGTH

221

# MECANISMOS SIMON 31, 75, 77, 82 Y 88

## Mecanismos básicos / Basic switches



Interrupor unipolar / Single-pole switch  
XXXX101-XXX



Interrupor unipolar / Single-pole switch  
7700101-039



Pulsador / Push button switch  
XXXX150-XXX



Pulsador / Push button switch  
7700150-039



Interrupor bipolar / Double pole switch  
XXXX133-XXX



Conmutador / 2-way switch  
XXXX201-XXX



Conmutador / 2-way switch  
7700201-039



Conmutador cruce / Intermediate switch  
XXXX251-XXX



Conmutador cruce / Intermediate switch  
7700251-039



Grupo 2 interruptores / 2 switches group  
XXXX398-XXX



Pulsador desconexión / Push button desconexion switch  
XXXX152-XXX



Grupo dos conmutadores / 2-way switches group  
XXXX397-XXX




Grupo de pulsadores desconexión / Push button switch  
desconexion group XXXX395-XXX



Grupo conmutador y pulsador / 2-way and push button switch group  
XXXX301-XXX



Interrupor unipolar / Single-pole switch  
XXXX102-XXX



Interrupor con piloto / Push button pilot switch  
7700112-039



Interrupor bipolar / Double pole switch  
XXXX134-XXX



Conmutador / 2-way switch  
XXXX202-XXX



Interrupor unipolar con luminoso / Single-pole switch with light  
XXXX104-XXX



Pulsador con luminoso / Push button switch with light  
XXXX160-XXX



Pulsador con luminoso / Push button switch with light  
7700160-039



Conmutador con luminoso / 2-way switch with light  
XXXX204-XXX



Conmutador cruce con luminoso / Intermediate switch with light  
XXXX254-XXX