Cover for German socket outlet with 2 USB 2.1A Type A chargers aluminium Simon 82

REF. **8200049-033**



BASIC INFORMATION

FINISH
Matt aluminium

COMPATIBILITY
Simon 75 mechanisms

PACKAGING CONTENTS
Cover

MATERIAL
Thermoplastic

PACKAGING
Flow pack

ETIM CLASS
EC000011

REMARKS
Available in 4 finishes. It is recommended to choose a frame with the same base colour as the selected rocker.

TECHNICAL INFORMATION

AVAILABLE MARKET
CE

NUMBER OF POSSIBLE ELEMENTS
1 item

IP RATING
IP20

MAINTENANCE
Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

OPERATING TEMPERATURE RANGE (°C)
5 - 40 °C

STORAGE TEMPERATURE RANGE (°C)
-25 - 50 °C

VERSION
Single

INSTALLATION AND MAINTENANCE

INSTALLATION DIRECTION
Horizontal, Vertical

INSTALLATION TYPE
Suitable for surface or recessed mount

REGULATIONS

WARRANTY
3 years

REGULATIONS
Dir. 2014/35/UE LVD | Dir. 2014/30/UE EMC | Dir. 2011/65/UE RoHS + post. mod. | Dir. 2009/125/EC ErP (Reg. UE 2019/1782) | EN 62368-1:2014 + A11:2017 | EN 50563:2011 + A1:2013 | IEC 60884-1 Ed 3.2 | ETSI EN 301489-34 V2.1.1 | UNE 20315-1-1:2017 | EN IEC 63000:2018 | UNE 20315-1-2:2017

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WIDTH
0

UNITARY PACKAGING LENGTH
0

UNITARY PACKAGING VOLUME
0

UNITARY PACKAGING GROSS WEIGHT
0.093

PRODUCT NET WEIGHT
0.093

UNITARY PACKAGING WEIGHT UNIT
KGM

PACKAGING EAN
8421053231913

UNITS CONTAINED PACKAGING
5

PACKAGING HEIGHT
82

PACKAGING WIDTH
82

PACKAGING LENGTH
120

PACKAGING MEASUREMENT UNIT
MMT

PACKAGING VOLUME
806880

PACKAGING VOLUME UNIT
MMQ

PACKAGING GROSS WEIGHT
0

PACKAGING NET WEIGHT
0.465

PACKAGING WEIGHT UNIT
KGM