


Socket 2P+T Schuko P30 16A 127/250V~ graphite Simon 26

REF. 2600432-038



BASIC INFORMATION

FINISH

Graphite

TECHNICAL INFORMATION

CABLE SECTION ADMITTED (MM)

3,3 mm

CURRENT (A)

16 A

NOMINAL VOLTAGE (V~)

127/250 V~

FORMAT

Schuko

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

POWER SUPPLY (V~)

127/250 V~

INSTALLATION AND MAINTENANCE

CABLE STRIPPING NECESSARY
(MM)

11

TYPE OF TERMINAL
CONNECTION - FUNCTION 1

Screw

LOGISTICS INFORMATION

UNITARY EAN CODE

7506207322790

UNITARY PACKAGING GROSS
WEIGHT

55.7

PACKAGING LENGTH

316

UNITARY PACKAGING HEIGHT

40.5

PRODUCT NET WEIGHT

55.7

PACKAGING MEASUREMENT
UNIT

MMT

UNITARY PACKAGING WIDTH

45.5

UNITARY PACKAGING WEIGHT
UNIT

GRM

PACKAGING VOLUME

3.448

UNITARY PACKAGING LENGTH

50

PACKAGING EAN

7506207322899

PACKAGING VOLUME UNIT
DMQ

UNITARY PACKAGING
MEASUREMENT UNIT

MMT

UNITS CONTAINED PACKAGING

20

PACKAGING GROSS WEIGHT

1.114

UNITARY PACKAGING VOLUME

0.092

PACKAGING HEIGHT

88

PACKAGING NET WEIGHT

1114

UNITARY PACKAGING VOLUME
UNIT

DMQ

PACKAGING WIDTH

124

PACKAGING WEIGHT UNIT

KGM

VISTA FRONTAL E ISOMÉTRICA DEL PRODUCTO





DIAGRAMA DE MONTAJE



*Placa, Teclas ciegas y chasis NO incluidos

DIAGRAMA DE CONEXIÓN

