

Downlight 706.21 Flush mount WW Wide Flood 1-10V White

REF. 70621130-483



BASIC INFORMATION

DESCRIPTION

Do you need highlight objects on any vitrina or shelf? Do focus entrances or staircases? Do One lighting, ideal for reception areas, washrooms, or fitting rooms of ropa? So you are in the right place. Simon presents its collection of products Downlight, designed to a type of indoor lighting specific. With this lighting system for indoor Downlight 706.21 WW Wide Flood 1-10V optics have what you need. It offers a lighting, warm concentrada and that offers a sense of comfort as few. This is why it can also be advisable to other zones like living rooms, saltas being or terraces in which we want to have a ambience particular based on the mixture of different lights and to play with the effect that occurs in the sombrías areas. This product has the following reference number: 70621130-483. Finished in white, its power voltage is 100 - 240 volts, being its frequency of 50-60 hz.

APPLICATION

Ambient lighting

PACKAGING CONTENTS

1 unit

ETIM CLASS

EC001744

TECHNICAL INFORMATION

FREQUENCY

50 - 60 Hz

DRIVER INCLUDED

Yes

LUMENS/W

900 lm/15W

IP RATING

IP44

ELECTRICAL CLASS

Type 2

OPTICS

Wide Flood

OPERATING TEMPERATURE RANGE (°C)

40 °C maximum

INTEGRATED POWER SUPPLY

No

PHOTOBIOLOGICAL CLASSIFICATION

Exempt category

POWER SUPPLY (V~)

100/240 V~

L70 (°C)

30,000 h at 25 °C

POWER (W)

15 W

COLOR TEMPERATURE (K)

3100 K

COLOR TYPE

WW

POWER SUPPLY DIMENSIONS (MM)

45x141x26 mm

CONTROL

1-10 V

LIGHTING EFFICIENCY (LM/W)

60 lm/W

SERVICE LIFE

30.000 h

CRI

80

LUMENS (LM)

900 lm

CHROMATICS CRI ICONS

CRI
80

INSTALLATION AND MAINTENANCE

MINIMUM INSTALLATION HEIGHT

180

INSTALLATION TYPE

Flush mount

TYPE OF TERMINAL CONNECTION - FUNCTION 1

Screw

REGULATIONS

WARRANTY

3 years 30,000 h

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT

0

UNITARY PACKAGING WIDTH

0

UNITARY PACKAGING LENGTH

0

UNITARY PACKAGING VOLUME

0

UNITARY PACKAGING GROSS WEIGHT

0.506

PRODUCT NET WEIGHT

0.506

UNITARY PACKAGING WEIGHT UNIT

KGM

PACKAGING EAN

8421053122235

UNITS CONTAINED PACKAGING

1

PACKAGING HEIGHT

135

PACKAGING WIDTH

145

PACKAGING LENGTH

155

PACKAGING MEASUREMENT UNIT

MMT

PACKAGING VOLUME

3.034

PACKAGING VOLUME UNIT

DMQ

PACKAGING GROSS WEIGHT

0.506

PACKAGING NET WEIGHT

0.506

PACKAGING WEIGHT UNIT

KGM