
Horizontal front kit for 2 elements with 1 2xUSB charger and 1 German socket outlet gloss white Simon 100

REF. **10020205-130**



BASIC INFORMATION

DESCRIPTION

Horizontal front kit designed to occupy 2 elements. It has 1 2xUSB charger and 1 Schuko plug base, all with a glossy white finish. This product is part of the Simon 100 series.

It works by insertion, it comes with 1 2xUSB charger and a Schuko plug base (the intensity of the Schuko is 16 A and the USB 2.1 A, with 250 V ~). Its installation is very simple and comfortable.

The material with which it is designed is prepared to reach temperatures that can range, without any inconvenience, between 5º C and 40 ºC, and can end up with a storage interval of between -25º C and 50 ºC. It works with a voltage of 230 V~.

It is a product that responds to regulations 2014/35 / UE LVD + directive 2014/30 / UE EMC + directive 2011/65 / UE RoHS + EN 50581: 2012 + EN 60950-1: 2006 + EN 60950-1 : 2006 A11: 2009 + EN 60950-1: 2006 A1: 2010 + EN 60950-1: 2006 A12: 2011 + EN 60950-1: 2006 A2: 2011 * 3 + ETSI-EN 301489-34 v14.1 * 3 + IEC 60884-1 Ed. 3.2 * 1.

FINISH

Gloss white

MATERIAL

Thermoplastic

COMPATIBILITY

Kit mechanisms Simon 100

ETIM CLASS

EC000007

TECHNICAL INFORMATION

AVAILABLE MARKET
CE

NUMBER OF POSSIBLE ELEMENTS
2 elements

FORMAT
Schuko,USB

INDICATOR FUNCTION
No

IP RATING
IP20

MAINTENANCE
Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

MONOBLOCK
Yes

OPERATING TEMPERATURE RANGE (°C)
5 - 40 °C

STORAGE TEMPERATURE RANGE (°C)
-25 - 50 °C

VERSION
2 elements

INSTALLATION AND MAINTENANCE

INSTALLATION DIRECTION
Horizontal

INSTALLATION TYPE
Suitable for flush mounting

REGULATIONS

REGULATIONS
Directive 2014/35/UE LVD + Directive 2014/30/UE EMC + Directive 2011/65/UE RoHS + EN 50581:2012 + EN 60950-1:2006 + EN 60950-1:2006 A11:2009 + EN 60950-1:2006 A1:2010 + EN 60950-1:2006 A12:2011 + EN 60950-1:2006 A2:2011*3 + ETSI-EN 301489-34 v14.1*3 + IEC 60884-1 Ed. 3.2*1

LOGISTICS INFORMATION

UNITARY EAN CODE
8421053146132

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WIDTH
0

UNITARY PACKAGING LENGTH
0

UNITARY PACKAGING VOLUME
0

UNITARY PACKAGING GROSS WEIGHT
0.092

PRODUCT NET WEIGHT
0.092

UNITARY PACKAGING WEIGHT UNIT
KGM

PACKAGING EAN
8421053146132

UNITS CONTAINED PACKAGING
1

PACKAGING HEIGHT
25.3

PACKAGING WIDTH
155

PACKAGING LENGTH
84

PACKAGING MEASUREMENT UNIT
MMT

PACKAGING VOLUME
329406

PACKAGING VOLUME UNIT
MMQ

PACKAGING GROSS WEIGHT
0.092

PACKAGING NET WEIGHT
0.092

PACKAGING WEIGHT UNIT
KGM