2RCA connector female with trim plate white Simon K45

REF. **K101B/9**



BASIC INFORMATION

DESCRIPTION

The 2 female RCA connectors with trim plate and insertion screw-terminal connection, with finishes in white dimensions of 22.5x45 mm that form part of the collection Simon K45. Also, has been made of metal materials with halogen-free insulation self-extinguishing thermoplastic to ensure that no flame spread if there is any fire, together with a extremely low toxicity in case of smoke. Finally, you can combine the voice and data plate in vertical enclosures using the 90º positioner to be able to guide the piece in the position corresponding. Do not forget to which the maximum length of cabling recommended is 30 meters. The series Simon K45 has been created to offer mechanisms of the curve with the highest quality. Due to all this, if you were looking for the best solutions workplace solutions for your home, you will not be able to veined one of our collections more advanced. Trust/Confident in the experience of a great brand and you comply with less.

FINISH

White

COMPATIBILITY

Simon K45 enclosures for installation in the wall, floor, ceiling and furniture and Simon 500 Cima enclosures (need to be combined with the K45 to 500 Cima adaptor ref.50012088-030)

PACKAGING CONTENTS

2 female RCA, wire cable tie and instruction sheet

ETIM CLASS

EC000018

REMARKS

Maximum wire length recommended; 30 meters For additional information, please read the product instruction sheet

TECHNICAL INFORMATION

AVAILABLE MARKET
CE

CABLE SECTION ADMITTED (MM)
From 0,2 to 0,5 mm

CONNECTOR TYPE
RCA

NUMBER OF CONTACTS
6

NUMBER OF POSSIBLE ELEMENTS
1/2 element

FORMAT
RCA

IP RATING
IP20

MAINTENANCE
Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

OPERATING TEMPERATURE RANGE (°C)
5 - 40 °C

RAL
9003

STORAGE TEMPERATURE RANGE (°C)
-25 - 50 °C

VERSION
Single

NUMBER OF WIRES
6

INSTALLATION AND MAINTENANCE

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX
Universal, specific Simon K45 and specific Simon 500 Cima using adaptor (ref.50012088-030)

INSTALLATION TYPE
Suitable for surface and flush mounting

REGULATIONS

REGULATIONS
Dir. 2011/65/UE RoHS + post. mod. | EN IEC 63000:2018

LOGISTICS INFORMATION

UNITARY EAN CODE
8426436064669

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WIDTH
0

UNITARY PACKAGING LENGTH
0

UNITARY PACKAGING VOLUME
0

UNITARY PACKAGING GROSS WEIGHT
0.022

PRODUCT NET WEIGHT
0.022

UNITARY PACKAGING WEIGHT UNIT
KGM

PACKAGING EAN
8426436064669

UNITS CONTAINED PACKAGING
1

PACKAGING HEIGHT
50

PACKAGING WIDTH
42

PACKAGING LENGTH
50

PACKAGING MEASUREMENT UNIT
MMT

PACKAGING VOLUME
0.012

PACKAGING VOLUME UNIT
HLT

PACKAGING GROSS WEIGHT
0.022

PACKAGING NET WEIGHT
0.022

PACKAGING WEIGHT UNIT
KGM