


Metal tray for adjustable floor box for 6 elements for installation in concrete floor Simon 500 Cima

REF. 52052203-033



BASIC INFORMATION

DESCRIPTION

Model 52052203-033 floor box The range of elements Simon 500 Cima professionals, compatible with other components Of the same series of elements. Elements professionals for a complete closure Of installations and assemblies systems professionals. Adjustable box, especially Designed for installation in flush mounted in concrete floors. Version of 6 elements For concrete floor, made of stainless steel with aluminium finishings integrates components. Components with trunking inlet access manufactured in Material self-extinguishing halogen-free thermoplastic that guarantees no Flame spread in case of fire and smoke. It is a box Adjustable measuring 363 x 363 x 75 mm, thus forming part of natural and versatile Different systems of assembly and installations professionals with a great capacity Combination with other types of elements.

FINISH

Aluminium

PACKAGING CONTENTS

Tray, protective cover, floor fixing screws and installation manual

ETIM CLASS

EC000114

MATERIAL

Steel

REMARKS

To complete the installation of the product, it must be combined with a concrete floor box for 6 elements in a grey (ref.52050003-035) or graphite finish (ref.52050003-038).

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

IP RATING

IP4X

RECESS DIMENSION (MM)

363 x 363 mm

AVAILABLE IN

6, 8 and 12 elements

KIT AVAILABILITY

No

VERSION

6 elements

MAX TEMP DURING CONSTRUCTION WORK (°C)

+90 °C

TEMPERATURE RANGE DURING INSTALLATION (°C)

-5 to 60 °C

IK CLASSIFICATION

08

NUMBER OF MODULES

6 modules

INSTALLATION AND MAINTENANCE

NUMBER OF CHANNEL ENTRIES

4

INSTALLATION DIRECTION

Horizontal, Vertical

SCREWS REQUIRED FOR SLAB FIXING

Minimum 2 (1 per side, diagonally). It is recommended to fix the bowl with 4 screws for complete fixation.

TYPE OF FASTENING

Using the screws supplied

INSTALLATION TYPE

Specially designed for installation in concrete floors

REGULATIONS

REGULATIONS

Directive 2014/35/UE LVD + EN 60670-23:2008

LOGISTICS INFORMATION

UNITARY EAN CODE

8421053101766

UNITARY PACKAGING WEIGHT
UNIT

KGM

PACKAGING MEASUREMENT
UNIT

MMT

UNITARY PACKAGING HEIGHT

0

PACKAGING EAN

8421053101766

PACKAGING VOLUME

0.111

UNITARY PACKAGING WIDTH

0

UNITS CONTAINED PACKAGING

1

PACKAGING VOLUME UNIT

HLT

UNITARY PACKAGING LENGTH

0

PACKAGING HEIGHT

375

PACKAGING GROSS WEIGHT

0

UNITARY PACKAGING VOLUME

0

PACKAGING WIDTH

80

PACKAGING NET WEIGHT

5.45

UNITARY PACKAGING GROSS
WEIGHT

5.45

PACKAGING LENGTH

370

PACKAGING WEIGHT UNIT

KGM

PRODUCT NET WEIGHT

5.45

