

TV socket single IEC female with trim plate aluminium Simon K45

REF. K102B/8



BASIC INFORMATION

DESCRIPTION

The series Simon K45 is presented as one of the most complete collections of mechanisms of workplace solutions for professional environments. And not imported the size or the shape of the workplace, since Simon K45 is loaded multiple solutions for any space or ambience. The K45 solutions that offers us, go from Teleblocks, metal enclosures, columns and mini-columns, electrical sockets and plates for voice, data and multimedia or fiber optics... everything you can imagine to create a workplace full and quick and easy. Between the plates for multimedia connections, we find this single socket, female IEC type for TV. It is half an element and has a sober finished in aluminium. It is designed for both surface-mounted and to be recessed and is connected by welding. For this plate is recommended not to use a wire of over 90 metres.

FINISH

Aluminium

COMPATIBILITY

Simon K45 enclosures for installation in the wall, floor, ceiling and furniture and Simon 500 Cima enclosures (need to be combined with the K45 to 500 Cima adaptor ref.50012088-033)

PACKAGING CONTENTS

Single TV socket, female IEC

ETIM CLASS

EC000439

REMARKS

Maximum wire length recommended; 90 metres (RG-6 cable). For additional information, please read the product instruction sheet

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

CABLE SECTION ADMITTED (MM)

From 6 to 8 mm

CONNECTOR TYPE

TV

NUMBER OF CONTACTS

1

NUMBER OF POSSIBLE ELEMENTS

1/2 element

FORMAT

IEC

IP RATING

IP20

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

OPERATING TEMPERATURE RANGE (°C)

5 - 40 °C

STORAGE TEMPERATURE RANGE (°C)

-25 - 50 °C

VERSION

Single

NUMBER OF WIRES

1

INSTALLATION AND MAINTENANCE

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

Universal, specific Simon K45 and specific Simon 500 Cima using adaptor (ref.50012088-033)

INSTALLATION TYPE

Suitable for surface and flush mounting

REGULATIONS

REGULATIONS

Dir. 2014/30/UE EMC | Dir. 2011/65/UE RoHS + post. mod. | EN 50083-2:2012 + A1:2015 | EN IEC 63000:2018

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT

0

PRODUCT NET WEIGHT

0.141

PACKAGING MEASUREMENT

UNIT

MMT

UNITARY PACKAGING WIDTH

0

UNITARY PACKAGING WEIGHT

UNIT

KGM

PACKAGING VOLUME

911400

UNITARY PACKAGING LENGTH

0

PACKAGING EAN

8426436046436

PACKAGING VOLUME UNIT

MMQ

UNITARY PACKAGING VOLUME

91140

UNITS CONTAINED PACKAGING

10

PACKAGING GROSS WEIGHT

1.41

UNITARY PACKAGING VOLUME

UNIT

MMQ

PACKAGING HEIGHT

70

PACKAGING NET WEIGHT

1.41

UNITARY PACKAGING GROSS
WEIGHT

0.141

PACKAGING WIDTH

93

PACKAGING WEIGHT UNIT

KGM

PACKAGING LENGTH

140