

German socket outlet 16A 250V~ with screw terminal connection system matt black Simon 82 Concept

REF. 8200432-098



BASIC INFORMATION

FINISH

Matt black

PACKAGING

Flow pack

ETIM CLASS

EC000125

COMPATIBILITY

Simon 82

PACKAGING CONTENTS

Socket outlet

REMARKS

The covers include a child-proof protective feature.

TECHNICAL INFORMATION

CABLE SECTION ADMITTED (MM) 2,5 mm	CURRENT (A) 16 A	OPERATING TEMPERATURE RANGE (°C) 5 - 40 °C
NUMBER OF POSSIBLE ELEMENTS 1 item	IP RATING IP20	STORAGE TEMPERATURE RANGE (°C) -25 - 50 °C
FORMAT Schuko	TYPE OF MECHANISM Insertion	VERSION Single
INDICATOR FUNCTION No	MONOBLOCK No	VOLTAGE (V~) 250 V~

INSTALLATION AND MAINTENANCE

CABLE STRIPPING NECESSARY (MM) 13	INSTALLABLE IN FLUSH MOUNT JUNCTION BOX Universal	TYPE OF TERMINAL CONNECTION - FUNCTION 1 Screw
CLAW Not possible	INSTALLATION TYPE Suitable for surface or recessed mount	

REGULATIONS

WARRANTY

3 years

REGULATIONS

Directive 2011/65/UE RoHS + EN 50581:2012 + IEC 60884-1 Ed 3.2

LOGISTICS INFORMATION

UNITARY EAN CODE 8421053280034	UNITARY PACKAGING GROSS WEIGHT 0.09	PACKAGING LENGTH 223
UNITARY PACKAGING HEIGHT 0	PRODUCT NET WEIGHT 0.09	PACKAGING MEASUREMENT UNIT MMT
UNITARY PACKAGING WIDTH 0	UNITARY PACKAGING WEIGHT UNIT KGM	PACKAGING VOLUME 1517738
UNITARY PACKAGING LENGTH 0	PACKAGING EAN 8421053228784	PACKAGING VOLUME UNIT MMQ
UNITARY PACKAGING MEASUREMENT UNIT MMT	UNITS CONTAINED PACKAGING 10	PACKAGING GROSS WEIGHT 0.9
UNITARY PACKAGING VOLUME 0	PACKAGING HEIGHT 82	PACKAGING NET WEIGHT 0.9
UNITARY PACKAGING VOLUME UNIT MMQ	PACKAGING WIDTH 83	PACKAGING WEIGHT UNIT KGM