

Flush-mounted quick connector "Female" with 5 poles and patch cord locking system graphite Simon Electrical Wiring

REF. CR5001/14



BASIC INFORMATION

FINISH

Graphite

MATERIAL

Plastic

COMPATIBILITY

With the range of distribution boxes from Simon 400.

ETIM CLASS

EC002566

TECHNICAL INFORMATION

PROTECTION AGAINST DIRECT ACCESS OF CONTACTS

Yes

NUMBER OF CONTACTS

5

RAL

7021

CONNECTOR TYPE

GST18

CURRENT (A)

16 A

VOLTAGE (V~)

250/400 V~

IP RATING

IP20

INSTALLATION AND MAINTENANCE

CABLE STRIPPING NECESSARY (MM)

9

REMOVAL OF CONNECTOR

Only with tool

TYPE OF TERMINAL CONNECTION - FUNCTION 1

Fast

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WIDTH
0

UNITARY PACKAGING LENGTH
0

UNITARY PACKAGING VOLUME
108864

UNITARY PACKAGING VOLUME
UNIT
MMQ

UNITARY PACKAGING GROSS
WEIGHT
0.031

PRODUCT NET WEIGHT
0.031

UNITARY PACKAGING WEIGHT
UNIT
KGM

PACKAGING EAN
8426436039827

UNITS CONTAINED PACKAGING
5

PACKAGING HEIGHT
72

PACKAGING WIDTH
72

PACKAGING LENGTH
105

PACKAGING MEASUREMENT
UNIT
MMT

PACKAGING VOLUME
544320

PACKAGING VOLUME UNIT
MMQ

PACKAGING GROSS WEIGHT
0.155

PACKAGING NET WEIGHT
0.155

PACKAGING WEIGHT UNIT
KGM