


Mechanism-holder unit IP66 with safety lock and Italian socket P40 socket outlet with 1 RJ45 category 5e UTP brass Simon K45

REF. KSE35USEC/23/71



BASIC INFORMATION

DESCRIPTION

Unit mechanism-holders unit with safety lock and type Italian P40 socket outlet with 1 RJ45 category 5e UTP with brass finish. This mechanism belongs to the Simon 27 series, a collection designed to encourage connectivity in all kinds of environments. This mechanism-holder unit measures 130 x 130 x 55 mm and consists of 2 modules. The cover has anchor points to protect the connections during use against pressures and stresses caused by the passage of personnel. This product is brass, although the baseboard is manufactured in self-extinguishing thermoplastic and halogen-free, a safe and resistant material in case of fire. Due to its design, it fits perfectly in any type of floor, be it a this raised or concrete. To do this, simply to combine the mechanism-holders unit with the tray in accordance with the type of installation (reference KGE170 for concrete floor, and reference KGE170TF for raised floor).

FINISH

Brass

MATERIAL

Metal

ETIM CLASS

EC000024

REMARKS

The cover has anchor points that protect the connections during use against pressures and stresses caused by the passage of personnel.

TECHNICAL INFORMATION

NUMBER OF CONNECTORS

1

DUST SHUTTER

No

FORMAT

Italian

IK CLASSIFICATION

07

INDICATOR FUNCTION

No

CURRENT (A)

16 A

IP RATING

IP66

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

RECESS DIMENSION (MM)

145 x 145 mm en suelo técnico

VOLTAGE (V~)

250 V~

INSTALLATION AND MAINTENANCE

CABLE STRIPPING NECESSARY (MM)

12

REMOVAL OF COMPONENTS

Only with tool

NUMBER OF COVER OPENING POSITIONS

1

REMOVAL OF COVER

Only with tool

EXTINGUISHING (°C)

+650 °C (according to standard IEC 60670)

REMOVAL OF THE FRAME

Only with tool

CAN BE INSTALLED IN TRAY

Plastic

REMOVAL OF THE SOCKET

Only with tool

TYPE OF TERMINAL CONNECTION - FUNCTION 1

Screw

LOGISTICS INFORMATION

UNITARY EAN CODE

8421053333884

UNITARY PACKAGING HEIGHT

0

UNITARY PACKAGING WIDTH

0

UNITARY PACKAGING LENGTH

0

UNITARY PACKAGING MEASUREMENT UNIT

MMT

UNITARY PACKAGING VOLUME

0

UNITARY PACKAGING VOLUME UNIT

MMQ

UNITARY PACKAGING GROSS WEIGHT

0.468

PRODUCT NET WEIGHT

0.394

UNITARY PACKAGING WEIGHT UNIT

KGM

PACKAGING EAN

8421053333884

UNITS CONTAINED PACKAGING

1

PACKAGING HEIGHT

82

PACKAGING WIDTH

147

PACKAGING LENGTH

155

PACKAGING MEASUREMENT UNIT

MMT

PACKAGING VOLUME

1445213

PACKAGING VOLUME UNIT

MMQ

PACKAGING GROSS WEIGHT

0.468

PACKAGING NET WEIGHT

0.394

PACKAGING WEIGHT UNIT

KGM