

Plate for 2W speaker/buzzer ivory Simon 75

REF. 75052-31



BASIC INFORMATION

DESCRIPTION

Plate for buzzer or 2W speaker in the Simon 75 series, it is recommended to choose a frame with the same baseboard colour as the selected plate. The plate for buzzer or speaker is of individual version, this model of buzzer plate includes 1 element, but does not include signaling function or any kind of module. The limit of the recommended temperature range is from 5°C to 40°C reaching maximum temperatures of -25 to 50°C. It is suitable for installations in surface mounting or flush mounting. You can choose from six available finishes. The plate for 2W buzzer / speaker applies the regulation UNE-EN 62080: 2010. The main manufacturing material is thermoplastic, with a plastic ivory finish. For the correct maintenance of the plate it is recommended to use a soft cloth slightly moistened in soapy water. The speaker / buzzer plate does not include any type of engraving.

FINISH

Ivory

MATERIAL

Thermostable

PACKAGING CONTENTS

Cover

SYMBOL

Without engravings

COMPATIBILITY

Simon 75 and Simon 75 mechanisms

ETIM CLASS

EC002484

REMARKS

Available in 6 finishes. It is recommended to choose a frame with a base the same colour as the selected rocker.

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

IP RATING

IP20

OPERATING TEMPERATURE RANGE (°C)

5 - 40 °C

NUMBER OF POSSIBLE ELEMENTS

1 element

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

STORAGE TEMPERATURE RANGE (°C)

-25 - 50 °C

INDICATOR FUNCTION

No

VERSION

Single

INSTALLATION AND MAINTENANCE

INSTALLATION DIRECTION

Horizontal, Vertical

INSTALLATION TYPE

Suitable for surface and flush mounting

REGULATIONS

REGULATIONS

Directive 2014/35/UE LVD + Directive 2014/30/UE EMC + Directive 2011/65/UE RoHS + EN 50581:2012 + EN 55020:2007 + EN 55020:2007 A11:2011 + EN 55032:2012 + EN 60065:2002 + EN 60065:2002 A1:2006 + EN 60065:2002 A11:2008 + EN 60065:2002 A2:2010 + EN 60065:2002 A12:2011 + EN 61000-3-2:2006 + EN 61000-3-2:2006 A1:2009 + EN 61000-3-2:2006 A2:2009 + EN 61000-3-3:2013

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WIDTH
0

UNITARY PACKAGING LENGTH
0

UNITARY PACKAGING VOLUME
597780

UNITARY PACKAGING VOLUME
UNIT
MMQ

UNITARY PACKAGING GROSS
WEIGHT
0.022

PRODUCT NET WEIGHT
0.022

UNITARY PACKAGING WEIGHT
UNIT
KGM

PACKAGING EAN
8421053013687

UNITS CONTAINED PACKAGING
5

PACKAGING HEIGHT
81

PACKAGING WIDTH
82

PACKAGING LENGTH
90

PACKAGING MEASUREMENT
UNIT
MMT

PACKAGING VOLUME
1486004

PACKAGING VOLUME UNIT
MMQ

PACKAGING GROSS WEIGHT
0.11

PACKAGING NET WEIGHT
0.11

PACKAGING WEIGHT UNIT
KGM