

Incandescent lamp 3W 24 V

REF. 75803-39



BASIC INFORMATION

DESCRIPTION

Incandescence lamp 3 W and 24V of the Simon 75 series, it is made with multiple materials and in accordance with the regulations UNE-EN 60432-1: 2001 + A1: 2006. This lamp it works perfectly in places with a temperature of between 5 and 40°C, approximately, although it is able to withstand extreme temperatures of between -25 to 50°C. The Simon 75 series is compatible with the mechanisms of the Simon 77 series, which allows cables to be connected without the need for stripping, braiding or using additional tools to place them, reducing, therefore, the time of installation, something that you'll appreciate much easier. In addition, this series Simon 75 offers infinite combinations as it has parts pieces in 15 colours, rockers in 6 colors and frames in 13 finishes. It may also highlight the rectangular design of the trim frame, which allows you to adopt two different aesthetic shapes, so that it can be assert that is a series suitable for the most varied tastes.

COMPATIBILITY

Simon 26 mechanisms

PACKAGING CONTENTS

Incandescent lamp

ETIM CLASS

EC002649

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

OPERATING TEMPERATURE RANGE (°C)

5 - 40 °C

STORAGE TEMPERATURE RANGE (°C)

-25 - 50 °C

INDICATOR FUNCTION

Yes

POWER SUPPLY (V~)

24 V~

TYPE

Neon

REGULATIONS

REGULATIONS

UNE-EN 60432-1:2001 + A1:2006

LOGISTICS INFORMATION

UNITARY EAN CODE

8421053256398

UNITARY PACKAGING HEIGHT

0

UNITARY PACKAGING WIDTH

0

UNITARY PACKAGING LENGTH

0

UNITARY PACKAGING MEASUREMENT UNIT

MMT

UNITARY PACKAGING VOLUME

37312

UNITARY PACKAGING VOLUME UNIT

MMQ

UNITARY PACKAGING GROSS WEIGHT

0.003

PRODUCT NET WEIGHT

0.003

UNITARY PACKAGING WEIGHT UNIT

KGM

PACKAGING EAN

8421053032657

UNITS CONTAINED PACKAGING

10

PACKAGING HEIGHT

23

PACKAGING WIDTH

57

PACKAGING LENGTH

84

PACKAGING MEASUREMENT UNIT

MMT

PACKAGING VOLUME

37312

PACKAGING VOLUME UNIT

MMQ

PACKAGING GROSS WEIGHT

0.025

PACKAGING NET WEIGHT

0.03

PACKAGING WEIGHT UNIT

KGM