

Electronic dimmer 230V 3 wires cut in phase Simon 100

REF. 10000321-039



BASIC INFORMATION

FINISH

Black

COMPATIBILITY

Frames Simon 100

COMPATIBLE WITH 230V
INCANDESCENT AND HALOGEN
LAMPS (W)

0-240 W

COMPATIBLE WITH LED LAMPS
(W)

0-100 W

PACKAGING CONTENTS

Dimmer and instruction sheet

ETIM CLASS

EC000025

REMARKS

It is recommended to connect the neutral but also allows installation without neutral.

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

CABLE SECTION ADMITTED (MM)

From 1,5 to 2,5 mm

MAXIMUM NUMBER OF AUXILIARY PUSH-BUTTONS

5 (without indicator light or night light)

MECHANISM IN DETAIL

Dimming by sliding your finger on the touch surface. Light on or off with a soft press. Remains the usability of the Simon 100 series.

COMPATIBLE WITH HALOGENS WITH ELECTROMAGNETIC TRANSFORMER (W)

0-240 W

COMPATIBLE WITH HALOGENS WITH ELECTRONIC TRANSFORMER (W)

0-240 W

NUMBER OF POSSIBLE ELEMENTS

Half element

INDICATOR FUNCTION

No

IP RATING

IP20

COMPATIBLE WITH LED BULB

LED bulbs dimming by phase cutting.

COMPATIBLE WITH LOW CONSUMPTION (W)

0-100 W

TYPE OF MECHANISM

Detection // Pulse switch button

MINIMUM LOAD (W)

0W

POWER OF NORMAL LOADS (W)

0-120 W / 0-240 W

OPERATING TEMPERATURE RANGE (°C)

0 - 40 °C

POWER SUPPLY (V~)

127/230 V~

STORAGE TEMPERATURE RANGE (°C)

-25 - 75 °C

VERSION

Individual

INSTALLATION AND MAINTENANCE

BUS CONNECTION TYPE OF TERMINAL CONNECTION

Por inserción

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

universal

INSTALLATION DIRECTION

Horizontal

INSTALLATION TYPE

Suitable for recreation

TYPE OF TERMINAL CONNECTION - FUNCTION 1

Screw

REGULATIONS

REGULATIONS

Directive 2014/35/EU LVD + Directive 2014/30/EU EMC + Directive 2011/65/EU RoHS + EN 50581:2012 + EN 60669-2-1:2004 + EN 60669-2-1:2004 A1:2009 + EN 60669-2-1:2004 A12:2010

LOGISTICS INFORMATION

UNITARY EAN CODE

8421053207598

UNITARY PACKAGING WEIGHT

UNIT

KGM

PACKAGING MEASUREMENT

UNIT

MMT

UNITARY PACKAGING HEIGHT

0

PACKAGING EAN

8421053207598

PACKAGING VOLUME

143000

UNITARY PACKAGING WIDTH

0

UNITS CONTAINED PACKAGING

1

PACKAGING VOLUME UNIT

MMQ

UNITARY PACKAGING LENGTH

0

PACKAGING HEIGHT

55

PACKAGING GROSS WEIGHT

0

UNITARY PACKAGING VOLUME

0

PACKAGING WIDTH

40

PACKAGING NET WEIGHT

0.044

UNITARY PACKAGING GROSS WEIGHT

0.044

PACKAGING LENGTH


65

PACKAGING WEIGHT UNIT

KGM

PRODUCT NET WEIGHT

0.044



Para información más detallada consultar la hoja de instrucciones
For more detailed information check the instruction sheet