


Double-pole switch 16AX 250V~ with built-in pilot light and screw terminal connection Simon 28

REF. 26134-39



BASIC INFORMATION

DESCRIPTION

Individual version with 1 element in this double-pole switch (code of reference 26134-39) with screw terminal connection, rocker operation and withstands elements up to 16 Amps and 250 Volt voltage. With built-in pilot light. This switch is part of the series Simon 28, which stands out for have a frame curvilinear capable of integrating perfectly into the structure in which it is installed. Simple designs, shapes soft, but at the same time, very modern come together in this collection. To be taken into account for the installation looks like this: The wire millimetres cross-section is 1.5 to 2.5 millimetres, being the stripping of wire 15 millimetres. This switch groups together various of metal components with halogen-free thermoplastic insulation, which allows greater durability and any type of toxicity or risk for people. This product does it has a signal function.

COMPATIBILITY

Simon 28 frames

PACKAGING CONTENTS

Mechanism and instructions

ETIM CLASS

EC001590

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

CURRENT (A)

16 AX

STORAGE TEMPERATURE RANGE (°C)

-25 - 50 °C

CABLE SECTION ADMITTED (MM)

From 1,5 to 2,5 mm

TYPE OF MECHANISM

Pivoting

VERSION

Single

NUMBER OF POSSIBLE ELEMENTS

1 element

OPERATING TEMPERATURE RANGE (°C)

5 - 40 °C

VOLTAGE (V~)

250 V~

INDICATOR FUNCTION

Yes

INSTALLATION AND MAINTENANCE

CABLE STRIPPING NECESSARY (MM)

15

INSTALLATION TYPE

Suitable for surface and flush mounting

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

Universal

TYPE OF TERMINAL CONNECTION - FUNCTION 1

Screw

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WEIGHT
UNIT
KGM

PACKAGING MEASUREMENT
UNIT
MMT

UNITARY PACKAGING WIDTH
0

PACKAGING EAN
8421053080290

PACKAGING VOLUME
3.017

UNITARY PACKAGING LENGTH
0

UNITS CONTAINED PACKAGING
10

PACKAGING VOLUME UNIT
DMQ

UNITARY PACKAGING VOLUME
0

PACKAGING HEIGHT
82

PACKAGING GROSS WEIGHT
0

UNITARY PACKAGING GROSS
WEIGHT
0.058

PACKAGING WIDTH
165

PACKAGING NET WEIGHT
0.58

PRODUCT NET WEIGHT
0.058

PACKAGING LENGTH
223

PACKAGING WEIGHT UNIT
KGM

MECANISMOS SIMON 27, 28 Y 44

Mecanismos básicos / Basic switches



Interrupor unipolar / Single-pole switch
XX00101-XX



Pulsador / Push button switch
XX00150-XX



Interrupor bipolar / Double pole switch
XX00133-XX



Conmutador / 2-way switch
XX00201-XX



Conmutador cruce / Intermediate switch
XX00251-XX

Mecanismos con piloto / Pilot switches



Interrupor unipolar / Single-pole switch
XX00102-XX



Interrupor bipolar / Double pole switch
XX00134-XX



Conmutador / 2-way switch
XX00202-XX



Interrupor unipolar / Single-pole switch
XX00104-XX



Pulsador / Push button switch
XX00160-XX



Conmutador / 2-way switch
XX2700204-XX



Conmutador cruce / Intermediate switch
XX2700254-XX