


Rocker for single-pole switching mechanisms for 1 element white Simon K45

REF. K110/9



BASIC INFORMATION

DESCRIPTION

White in colour, the rocker for single-pole switching mechanisms of 1 element is suitable for surface-mounted and recess and is part of the Simon K45 collection. This is a piece that measures 45x45x10 mm that has been made of halogen-free thermoplastic, in order to ensure a low toxicity in the event of smoke generation and that is not suffering fire propagation in case of fire. This is why this piece complies with all the guarantees of European and with our high quality controls. You will find solutions that are adapted to all types of environments in the extensive range offered by the series Simon K45 because at Simon we want to offer our customers the safest and the most advanced materials.

FINISH

White

MATERIAL

Plastic

COMPATIBILITY

Simon K45 enclosures for installation in the wall, floor, ceiling and furniture and Simon 500 Cima enclosures (need to be combined with the K45 to 500 Cima adaptor ref.50012088-030)

PACKAGING CONTENTS

Rocker and installation manual

ETIM CLASS

EC000011

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

IP RATING

IP20

TEMPERATURE RANGE DURING INSTALLATION (°C)

-5 to 60° C

AVAILABLE IN

Quarter and half module versions

KIT AVAILABILITY

No

NUMBER OF MODULES

Half

MAX TEMP DURING CONSTRUCTION WORK (°C)

+60° C

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

RAL

9003

INDICATOR FUNCTION

No

VERSION

Single

INSTALLATION AND MAINTENANCE

REMOVAL OF COVER

Only with tool

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

Universal, specific Simon K45 and specific Simon 500 Cima using adaptor (ref.50012088-030)

INSTALLATION DIRECTION

Vertical according to the direction of the mechanisms

TYPE OF FASTENING

Fixing by direct snap-fit, no tools needed

INSTALLATION TYPE

Suitable for surface and flush mounting

REGULATIONS

REGULATIONS

Directive 2014/35/UE LVD + Directive 2011/65/UE RoHS + EN 50581:2012 + EN 60669-1:1999 + EN 60669-1:1999 A1:2002 + EN 60669-1:1999 A2:2008

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WIDTH
0

UNITARY PACKAGING LENGTH
0

UNITARY PACKAGING VOLUME
544320

UNITARY PACKAGING VOLUME
UNIT
MMQ

UNITARY PACKAGING GROSS
WEIGHT
0.001

PRODUCT NET WEIGHT
0.001

UNITARY PACKAGING WEIGHT
UNIT
KGM

PACKAGING EAN
8426436047037

UNITS CONTAINED PACKAGING
10

PACKAGING HEIGHT
72

PACKAGING WIDTH
72

PACKAGING LENGTH
105

PACKAGING MEASUREMENT
UNIT
MMT

PACKAGING VOLUME
544320

PACKAGING VOLUME UNIT
MMQ

PACKAGING GROSS WEIGHT
0.09

PACKAGING NET WEIGHT
0.01

PACKAGING WEIGHT UNIT
KGM