


## Frame for 3 elements stainless steel interior graphite Simon 82 Nature

REF. 82837-37



## BASIC INFORMATION

### DESCRIPTION

Frame of the Simon 82 Nature series, which is specific to a total of three elements and with a modern stainless steel finish and the indoor in graphite, it is part of the range of frames Metal of the brand. It is recommended to use the rockers and covers required in the same graphite finish of the indoor of the product, thus will a unique appearance, which advocate for the maximum modernity and the most modern design. This frame Simon is suitable for flush mounting and withstands temperatures very variables, with maximum and minimum temperatures of -25 to + 50 degrees centigrade. It is worth noting that the manufacturing materials, the frame Simon 82 Nature guarantee the security during the operation, as the baseboard is made of a thermoplastic material that isolation perfectly to the frame of the heat end and, on the other hand, the frame is made of a material with a metallic finish of the highest quality. The dimensions of the frame complete Simon are 244 x 94 millimetres. For its maintenance, simply wipe the frame with a clean and soft dry cloth, not to use abrasive cleaners.

### FINISH

Stainless steel

### COMPATIBILITY

Simon 75, Simon 77 and Simon 82 mechanisms

### PACKAGING CONTENTS

Frame with 3 elements

### ETIM CLASS

EC000007

### REMARKS

It is recommended to use the graphite finish for rockers and covers.

## TECHNICAL INFORMATION

### AVAILABLE MARKET

CE

### IP RATING

IP20

### OPERATING TEMPERATURE RANGE (°C)

5 - 40 °C

### AVAILABLE IN

1, 2, 3 and 4 elements

### MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

### STORAGE TEMPERATURE RANGE (°C)

-25 - 50 °C

### INNER FRAME

Graphite

### VERSION

3 elements

## INSTALLATION AND MAINTENANCE

### INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

Universal

### INSTALLATION DIRECTION

Horizontal, Vertical

### INSTALLATION TYPE

Suitable for flush mounting

## REGULATIONS

### REGULATIONS

Directive 2014/35/UE LVD + EN 60669-1:1999 + EN 60669-1:1999 A1:2002 + EN 60669-1:1999 A2:2008

## LOGISTICS INFORMATION

### UNITARY EAN CODE

8421053060032

### UNITARY PACKAGING WEIGHT UNIT

KGM

### PACKAGING MEASUREMENT UNIT

MMT

### UNITARY PACKAGING HEIGHT

0

### PACKAGING EAN

8421053060032

### PACKAGING VOLUME

0.566

### UNITARY PACKAGING WIDTH

0

### UNITS CONTAINED PACKAGING

1

### PACKAGING VOLUME UNIT

DMQ

### UNITARY PACKAGING LENGTH

0

### PACKAGING HEIGHT

37

### PACKAGING GROSS WEIGHT

0.255

### UNITARY PACKAGING VOLUME

0

### PACKAGING WIDTH

127

### PACKAGING NET WEIGHT

0.255

### UNITARY PACKAGING GROSS WEIGHT

0.255

### PACKAGING LENGTH

274

### PACKAGING WEIGHT UNIT

KGM

### PRODUCT NET WEIGHT

0.255