

## Flat voice and data plate with dust cover for 1 AVAYA® RJ45 connector ivory Simon 27 Play

REF. 27099-32



## BASIC INFORMATION

### DESCRIPTION

With a sophisticated finishes in ivory colour, the flat base plate of voice and data Simon 27 Play, provides the perfect balance between design and functionality. With dust shutter and designed for RJ45 connector, it is compatible with AVAYA connectors and includes RJ45 adapter. Designed for installation both recessed and surface-mounted, has a size of 45 x 45 mm, which guarantees the total integration of the set in spaces compact, adapting to the specific needs of each room. It also has 5 different finishes so that the design together to its finishes, it is adapted to the particular style and ambience. For an effective protection of the room in case of fire, the flat base plate Simon 27 Play is made up of thermoplastic materials that allow to set reach maximum temperatures of -25 and 50 °C. Versatility, innovation and the maximum functionality, united in the flat base plate of voice and data Simon 27 Play.

### FINISH

Ivory

### MATERIAL

Plastic

### PACKAGING CONTENTS

Plate

### SYMBOL

Without engravings

### COMPATIBILITY

Simon 75 connectors

### ETIM CLASS

EC000018

### REMARKS

Available in 5 finishes. It is recommended to choose a frame the same colour as the selected plate.

## TECHNICAL INFORMATION

### AVAILABLE MARKET

CE

### COMPATIBLE WITH CONNECTORS

AVAYA

### NUMBER OF CONNECTORS

1

### DUST SHUTTER

Yes

### NUMBER OF POSSIBLE ELEMENTS

1 element

### FORMAT

RJ45

### INDICATOR FUNCTION

No

### IP RATING

IP20

### MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

### NUMBER OF MODULES

2 modules

### OPERATING TEMPERATURE RANGE (°C)

5 - 40 °C

### PLATE TYPE

Flat

### RJ45 ADAPTOR MODULE

Included

### STORAGE TEMPERATURE RANGE (°C)

-25 - 50 °C

### VERSION

Single

## INSTALLATION AND MAINTENANCE

### INSTALLATION DIRECTION

Horizontal, Vertical

### INSTALLATION TYPE

Suitable for surface and flush mounting

## REGULATIONS

### REGULATIONS

Directive 2011/65/UE RoHS + EN 50581:2012

## LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT

0

PRODUCT NET WEIGHT

0.019

PACKAGING MEASUREMENT

UNIT

MMT

UNITARY PACKAGING WIDTH

0

UNITARY PACKAGING WEIGHT

UNIT

KGM

PACKAGING VOLUME

0.324

UNITARY PACKAGING LENGTH

0

PACKAGING EAN

8421053072059

PACKAGING VOLUME UNIT

HLT

UNITARY PACKAGING VOLUME

2891700

UNITS CONTAINED PACKAGING

10

PACKAGING GROSS WEIGHT

0.19

UNITARY PACKAGING VOLUME

UNIT

MMQ

PACKAGING HEIGHT

85

PACKAGING NET WEIGHT

0.19

UNITARY PACKAGING GROSS

WEIGHT

0.019

PACKAGING WIDTH

162

PACKAGING WEIGHT UNIT

KGM

PACKAGING LENGTH

210