

Spotlight 740.01 Rail 4000K Flood CR90 Black

REF. 74001038-394



BASIC INFORMATION

DESCRIPTION

The 740.01 Rail Spotlight 4000 K Flood CR90 Black offers an attractive neutral colour white neutral type very attractive that is ideal for restaurants or commercial premises.; this is possible thanks to the fact that reaches a colour temperature of 4000 K, a number for a significant spotlight of these features. Its installation is of type rail, the most simple between the different types of installation of spotlights.

The durability to the long term of this spotlight is guaranteed for both the luminaire and its quality outdoor. The luminaire has a service life of at least 30000 hours at a constant temperature and the outdoor has a body manufactured in aluminium with a high thermal design, which prevents its deterioration in the long term.

It is a spotlight that has a type flood optics and therefore has 25 ° opening in the angle of opening the light beam. Not to mention one of its qualities, the most important high colour rendering index (CRI), with a data 90 about 100. This data is the highest that can be found on the market in spotlights. The lighting efficiency of this spotlight also brand a good data (77,5).

APPLICATION

Accent lighting,General lighting

ETIM CLASS

EC001744

REMARKS

This version is only available on request. For information on terms please contact our commercial representatives.

TECHNICAL INFORMATION

IP RATING

IP20

COLOR TYPE

NW

OPTICS

Flood

COLOR TEMPERATURE (K)

4000 K

LIGHTING EFFICIENCY (LM/W)

77,5 lm/W

PHOTOBIOLOGICAL CLASSIFICATION

Exempt category

CRI

90

LUMENS (LM)

1550 lm

POWER (W)

20 W

L70 (°C)

30,000 h at 25 °C

LUMENS/W

1550lm/20W

SERVICE LIFE

30 000 h

CHROMATICS CRI ICONS

CRI
90

INSTALLATION AND MAINTENANCE

INSTALLATION TYPE

Rail

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WEIGHT
UNIT
KGM

PACKAGING MEASUREMENT
UNIT
MMT

UNITARY PACKAGING WIDTH
0

PACKAGING EAN
8421053215609

PACKAGING VOLUME
4624000

UNITARY PACKAGING LENGTH
0

UNITS CONTAINED PACKAGING
1

PACKAGING VOLUME UNIT
MMQ

UNITARY PACKAGING VOLUME
0

PACKAGING HEIGHT
250

PACKAGING GROSS WEIGHT
0.8

UNITARY PACKAGING GROSS
WEIGHT
0.8

PACKAGING WIDTH
136

PACKAGING NET WEIGHT
0.6

PRODUCT NET WEIGHT
0.6

PACKAGING LENGTH
136

PACKAGING WEIGHT UNIT
KGM