

Neutral push-button switch 10AX 250V~ with fast terminal connection system champagne Simon 31

REF. 31659-64



BASIC INFORMATION

DESCRIPTION

The soft lines of style neutral design together with the elegance of their finishes in champagne colour, converted to the neutral push-button switch of the collection Simon 31 in the ideal option to give to any room sophisticated finishes with the maximum functionality feature of Simon. With quick terminal connection system and compatible with a voltage of power of 250 Volts, 10 Ampere current and 10: 00 AM amplitude modulated (), this push-button switch tilting, consists of 2 elements with a cross-cable section supported from 1.5 to 2.5 mm and stripping of 11 mm Manufactured with metal materials isolated with halogen-free and thermoplastic trim of the same metallic component, it protects the room of the flame spread and toxicity by smoke in case of fire. For greater versatility, Simon 31 offers 3 finishes (white, ivory and in metallic champagne or aluminium) and recommended to use the frame of the same colour as the rocker.

FINISH

Champagne

PACKAGING CONTENTS

Mechanism with rocker

COMPATIBILITY

Simon 31 frames

ETIM CLASS

EC000029

REMARKS

Available in 3 finishes. It is recommended to choose a frame the same colour as the selected rocker.

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

CURRENT (A)

10 AX

OPERATING TEMPERATURE RANGE (°C)

5 - 40 °C

CABLE SECTION ADMITTED (MM)

From 1,5 to 2,5 mm

IP RATING

IP20

STORAGE TEMPERATURE RANGE (°C)

-25 - 50 °C

NUMBER OF POSSIBLE ELEMENTS

1 element

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

VERSION

Single

INDICATOR FUNCTION

No

TYPE OF MECHANISM

Pivoting

VOLTAGE (V~)

250 V~

INSTALLATION AND MAINTENANCE

CABLE STRIPPING NECESSARY (MM)

11

INSTALLATION TYPE

Suitable for surface and flush
mounting

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

Universal

TYPE OF TERMINAL CONNECTION - FUNCTION 1

Fast

REGULATIONS

REGULATIONS

UNE-EN 60669-1:2002 + A1:2003 + A2:2009

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WIDTH
0

UNITARY PACKAGING LENGTH
0

UNITARY PACKAGING VOLUME
3026595

UNITARY PACKAGING VOLUME
UNIT
MMQ

UNITARY PACKAGING GROSS
WEIGHT
0.09

PRODUCT NET WEIGHT
0.09

UNITARY PACKAGING WEIGHT
UNIT
KGM

PACKAGING EAN
8421053052037

UNITS CONTAINED PACKAGING
10

PACKAGING HEIGHT
83

PACKAGING WIDTH
165

PACKAGING LENGTH
221

PACKAGING MEASUREMENT
UNIT
MMT

PACKAGING VOLUME
3026595

PACKAGING VOLUME UNIT
MMQ

PACKAGING GROSS WEIGHT
0.895

PACKAGING NET WEIGHT
0.9

PACKAGING WEIGHT UNIT
KGM