


Simon iO key for electronic switch gloss black Simon 100

REF. 10002034-138



BASIC INFORMATION

DESCRIPTION

Simon iO switch for electronic switch with black finish and with an elegant touch of brightness, belonging to the Simon 100 series. It features the Simon iO system, based on the digitisation of spaces. Its installation is horizontal, it occupies only half an element, it is made of PMMA with thermoplastic base and it enjoys degree of IP protection of 20, the maximum possible degree that it can present in terms of resistance and durability.

It is a switch that is presented in an individual version and whose type of power is supplied from the mechanism, following a Z-wave protocol and with a number of LEDs of up to 7 units. For its correct maintenance, we must ensure that it is maintained in an environment between 0° C and 40° C during its operation, while in its storage we must ensure an environment between -25° C and 75° C. As regards its cleaning, we recommend the use of a soft cloth previously moistened in soapy water.

It has been developed in accordance with directive 2011/65 / UE RoHS + directive 2014/53 / UE RED + EN 50581: 2012 + EN 60669-2-5: 2016 + ETSI-300-220-2 v2.4.1.

FINISH

Gloss black

COMPATIBILITY

Simon 100 mechanisms

ETIM CLASS

EC000011

MATERIAL

Plastic

PACKAGING CONTENTS

Rocker

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

CONNECTIVITY PROTOCOL

Z-wave

OPERATING TEMPERATURE RANGE (°C)

0 - 40 °C

NUMBER OF POSSIBLE ELEMENTS

Half element

IP RATING

IP20

STORAGE TEMPERATURE RANGE (°C)

-25 - 75 °C

INDICATOR FUNCTION

No

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

VERSION

Single

INSTALLATION AND MAINTENANCE

INSTALLATION DIRECTION

Horizontal

INSTALLATION TYPE

Suitable for flush mounting

REGULATIONS

REGULATIONS

Directive 2011/65/UE RoHS + Directive 2014/53/UE RED + EN 50581:2012 + EN 60669-2-5:2016 + ETSI-300-220-2 v2.4.1

LOGISTICS INFORMATION

UNITARY EAN CODE

8421053146682

UNITARY PACKAGING WEIGHT UNIT

KGM

PACKAGING MEASUREMENT UNIT

MMT

UNITARY PACKAGING HEIGHT

0

PACKAGING EAN

8421053146682

PACKAGING VOLUME

65122.2

UNITARY PACKAGING WIDTH

0

UNITS CONTAINED PACKAGING

1

PACKAGING VOLUME UNIT

MMQ

UNITARY PACKAGING LENGTH

0

PACKAGING HEIGHT

25.3

PACKAGING GROSS WEIGHT

0.35

UNITARY PACKAGING VOLUME

0

PACKAGING WIDTH

36

PACKAGING NET WEIGHT

0.035

UNITARY PACKAGING GROSS WEIGHT

0.035

PACKAGING LENGTH

71.5

PACKAGING WEIGHT UNIT

KGM

PRODUCT NET WEIGHT

0.035