

Quick connection patch cord female-free end RZ - 0.6 kV 3 poles with 2 meters length made of halogen-free material with 3 x 2.5mm² section white

REF. CR4020/9



BASIC INFORMATION

FINISH

White

MATERIAL

Plastic,PVC

COMPATIBILITY

Flexible connection system and
SIMON 400

ETIM CLASS

EC002587

TECHNICAL INFORMATION

PROTECTION AGAINST DIRECT ACCESS OF CONTACTS

Yes

IP RATING

IP20

RAL

9003

CONNECTOR TYPE

GST18

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

VOLTAGE (V~)

250 V~

CURRENT (A)

16 A

INSTALLATION AND MAINTENANCE

REMOVAL OF CONNECTOR

Only with tool

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT
0

PRODUCT NET WEIGHT
0.357

PACKAGING MEASUREMENT
UNIT
MMT

UNITARY PACKAGING WIDTH
0

UNITARY PACKAGING WEIGHT
UNIT
KGM

PACKAGING VOLUME
0.258

UNITARY PACKAGING LENGTH
0

PACKAGING EAN
8426436055032

PACKAGING VOLUME UNIT
HLT

UNITARY PACKAGING VOLUME
0.3

UNITS CONTAINED PACKAGING
5

PACKAGING GROSS WEIGHT
3.57

UNITARY PACKAGING VOLUME
UNIT
MMQ

PACKAGING HEIGHT
225

PACKAGING NET WEIGHT
1.785

UNITARY PACKAGING GROSS
WEIGHT
0.357

PACKAGING WIDTH
325

PACKAGING WEIGHT UNIT
KGM

PACKAGING LENGTH
352