


Schuko Socket Base with Dual USB Charger A + C 10.5W Simon 75

REF. 7511432-039



BASIC INFORMATION

PACKAGING

Bulk

ETIM CLASS

EC000125

TECHNICAL INFORMATION

NUMBER OF CONNECTORS

3

LINKABLE

Yes

USB CURRENT (A)

2,1 A

CONNECTOR TYPE

Schuko,USB A,USB C

MAXIMUM POWER (W)

4000

USB PORT TYPE

A,C

NUMBER OF CONTACTS

3

MONOBLOCK

Yes

POWER DELIVERY USB

No

FORMAT

Schuko,USB A,USB C

NOMINAL VOLTAGE (V~)

250 V~

QUICK CHARGE USB

No

FREQUENCY

50 - 60 Hz

PLATE TYPE

Flat

USB VOLTAGE (V~)

5 Vdc

INDICATOR FUNCTION

No

POWER SUPPLY (V~)

250/230 V~

VOLTAGE (V~)

250 V~

CURRENT (A)

16 A

RECESS DIMENSION (MM)

45

NUMBER OF WIRES

3

IP RATING

IP20

USB CHARACTERISTICS

USB A+C= 5,0 VDC 2,1 A 10,5W ;
USB A= 5,0 VDC 2,1 A 10,5W ;
USB C= 5,0 VDC 2,1 A 10,5W

INSTALLATION AND MAINTENANCE

CABLE STRIPPING NECESSARY (MM)

10

REMOVAL OF COVER

Only with tool

TYPE OF TERMINAL

CONNECTION - FUNCTION 2

Schuko/USB: Screw

CLAW

Simon 75

TYPE OF TERMINAL

CONNECTION - FUNCTION 1

Screw

REGULATIONS

WARRANTY

3 years

REGULATIONS

Dir. 2014/35/UE LVD | Dir. 2014/30/UE EMC | Dir. 2011/65/UE RoHS + post. mod. | Dir. 2009/125/EC ErP (Reg. UE 2019/1782) | EN 62368-1:2014 + A11:2017 | EN 50563:2011 + A1:2013 | IEC 60884-1 Ed 3.2 | ETSI EN 301489-34 V2.1.1 | UNE 20315-1-1:2017 | EN IEC 63000:2018 | UNE 20315-1-2:2017

LOGISTICS INFORMATION

UNITARY EAN CODE

8421053323458

UNITARY PACKAGING WEIGHT UNIT

KGM

PACKAGING MEASUREMENT UNIT

MMT

UNITARY PACKAGING HEIGHT

0

PACKAGING EAN

8421053323458

PACKAGING VOLUME

329232

UNITARY PACKAGING WIDTH

0

UNITS CONTAINED PACKAGING

1

PACKAGING VOLUME UNIT

MMQ

UNITARY PACKAGING LENGTH

0

PACKAGING HEIGHT

57

PACKAGING GROSS WEIGHT

0.082

UNITARY PACKAGING VOLUME

0

PACKAGING WIDTH

76

PACKAGING NET WEIGHT

0.066

UNITARY PACKAGING GROSS WEIGHT

0.066

PACKAGING LENGTH

76

PACKAGING WEIGHT UNIT

KGM

PRODUCT NET WEIGHT

0.066