


## iO DALI dimmer switch 230 V~ bronze Simon 270

REF. 21000316-097



### BASIC INFORMATION

**FINISH**

Bronze

**MATERIAL**

Thermoplastic

**ETIM CLASS**

EC000025

**SYMBOL**

"+/-"

**COMPATIBILITY**

Simon 270 frames

## TECHNICAL INFORMATION

### AVAILABLE MARKET

CE

### IP RATING

IP20

### POWER SUPPLY (V~)

230 V~

### FREQUENCY

50 - 60 Hz

### OPERATING TEMPERATURE

RANGE (°C)

0 - 40 °C

### RAL

3033

### INDICATOR FUNCTION

Yes

### VOLTAGE (V~)

127/230 V~

## INSTALLATION AND MAINTENANCE

### CABLE STRIPPING NECESSARY (MM)

7

### TYPE OF TERMINAL CONNECTION - FUNCTION 1

Screw

## REGULATIONS

### REGULATIONS

Dir. 2011/65/UE RoHS + post. mod. | Dir. 2014/53/UE RED | EN 50428:2005 | EN 50428:2005 A1:2007 | EN 50428:2005 A2:2009 | EN IEC 63000:2018 | ETSI EN 300328 V2.2.2

## LOGISTICS INFORMATION

### UNITARY EAN CODE

8421053300350

### UNITARY PACKAGING HEIGHT

0

### UNITARY PACKAGING WIDTH

0

### UNITARY PACKAGING LENGTH

0

### UNITARY PACKAGING MEASUREMENT UNIT

MMT

### UNITARY PACKAGING VOLUME

0

### UNITARY PACKAGING VOLUME UNIT

MMQ

### UNITARY PACKAGING GROSS WEIGHT

0.078

### PRODUCT NET WEIGHT

0.078

### UNITARY PACKAGING WEIGHT UNIT

KGM

### PACKAGING EAN

8421053300350

### UNITS CONTAINED PACKAGING

1

### PACKAGING HEIGHT

81

### PACKAGING WIDTH

55.5

### PACKAGING LENGTH

55.5

### PACKAGING MEASUREMENT UNIT

MMT

### PACKAGING VOLUME

249500.25

### PACKAGING VOLUME UNIT

MMQ

### PACKAGING GROSS WEIGHT

0.082

### PACKAGING NET WEIGHT

0.078

### PACKAGING WEIGHT UNIT

KGM



Para información más detallada consultar la hoja de instrucciones  
 For more detailed information check the instruction sheet