Single rocker with viewer and light symbol cold aluminium Simon 82 Detail

REF. **82016-93**



BASIC INFORMATION

FINISH
Aluminium

SYMBOL
Light

MATERIAL
Plastic

COMPATIBILITY
Simon 75 mechanisms

PACKAGING CONTENTS
Single rocker and fastening bracket

ETIM CLASS
EC000011

REMARKS
Available in 6 finishes. It is recommended to choose a frame with a base the same colour as the selected rocker.

TECHNICAL INFORMATION

AVAILABLE MARKET
CE

NUMBER OF POSSIBLE ELEMENTS
1 item

INDICATOR FUNCTION
Yes

IP RATING
IP20

MAINTENANCE
Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

OPERATING TEMPERATURE RANGE (°C)
5 - 40 °C

STORAGE TEMPERATURE RANGE (°C)
-25 - 50 °C

VERSION
Single

INSTALLATION AND MAINTENANCE

INSTALLATION DIRECTION
Horizontal, Vertical

INSTALLATION TYPE
Suitable for surface and flush mounting

REGULATIONS

REGULATIONS
Directive 2014/35/UE LVD + EN 60669-1:1999 + EN 60669-1:1999 A1:2002 + EN 60669-1:1999 A2:2008

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WIDTH
0

UNITARY PACKAGING LENGTH
0

UNITARY PACKAGING VOLUME
0

UNITARY PACKAGING GROSS WEIGHT
0.096

PRODUCT NET WEIGHT
0.096

UNITARY PACKAGING WEIGHT UNIT
KGM

PACKAGING EAN
8421053120460

UNITS CONTAINED PACKAGING
5

PACKAGING HEIGHT
81

PACKAGING WIDTH
82

PACKAGING LENGTH
90

PACKAGING MEASUREMENT UNIT
MMT

PACKAGING VOLUME
597780

PACKAGING VOLUME UNIT
MMQ

PACKAGING GROSS WEIGHT
0

PACKAGING NET WEIGHT
0.48

PACKAGING WEIGHT UNIT
KGM