


Metallic bucket for adjustable floor box of 3 double elements for installation on pavement floor Simon Cima

REF. G300



BASIC INFORMATION

FINISH

Steel

MATERIAL

Steel

COMPATIBILITY

With floor boxes adjustable with 3 double elements for pavement and inspection covers with 3 double elements Simon Series S.

ETIM CLASS

EC000114

TECHNICAL INFORMATION

HEAT RESISTANCE (°C)

+125 °C (in accordance with standard IEC 60695-10-2)

IK CLASSIFICATION

08

KIT AVAILABILITY

No

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

RECESS DIMENSION (MM)

363 x 363 mm

INSTALLATION AND MAINTENANCE

NUMBER OF CHANNEL ENTRIES

4

EXTINGUISHING (°C)

+850 °C / 30 seconds (GWFI in accordance with standard IEC 60695-2-11)

SCREWS REQUIRED FOR SLAB FIXING

Minimum 2 (1 on each side, diagonal). It is recommended to secure the mounting box with 4 screws for maximum secure fixation

LOGISTICS INFORMATION

UNITARY EAN CODE

8426436013933

PRODUCT NET WEIGHT

5.605

PACKAGING MEASUREMENT UNIT

MMT

UNITARY PACKAGING HEIGHT

0

UNITARY PACKAGING WEIGHT UNIT

KGM

PACKAGING VOLUME

9991875

UNITARY PACKAGING WIDTH

0

PACKAGING EAN

8426436013933

PACKAGING VOLUME UNIT

MMQ

UNITARY PACKAGING LENGTH

0

UNITS CONTAINED PACKAGING

1

PACKAGING GROSS WEIGHT

5.45

UNITARY PACKAGING VOLUME

9991875

PACKAGING HEIGHT

365

PACKAGING NET WEIGHT

5.605

UNITARY PACKAGING VOLUME UNIT

MMQ

PACKAGING WIDTH

75

PACKAGING WEIGHT UNIT

KGM

UNITARY PACKAGING GROSS WEIGHT

5.605

PACKAGING LENGTH

365