Switch for blinds 10A 250V~ with 3 positions: up, down and stop aluminium Simon 31

REF. **31333-63**



BASIC INFORMATION

DESCRIPTION

Controls the quantity (QTY.) of natural light with the shutter switch Simon 31. With 3 positions (up, down and stop), which allows a greater savings to maximize the natural light. With a design of finishes in aluminium, this switch with rocker function, it withstands power of 250 Volt voltage and 10 Ampere current, adaptable according to the time of the most natural light to a greater sustainability. Made of metal materials with thermoplastic isolated halogen-free and thermoplastic trim, it protects the room in case of fire, to prevent the flame spread and smoke poison. With a size of 64 x 65 mm, supports a wire section from 1.5 to 2.5 mm and stripping of 9 mm, it also, and to enhance the maximum the functionalities of the product, it is equipped with a control unit position to stop the raising and / or lowering of the shutter to your taste.

FINISH

Aluminium

COMPATIBILITY

Simon 31 frames

PACKAGING CONTENTS

Mechanism with rocker

REMARKS

Mechanism with centre position to stop the up/down movement of the blinds.

TECHNICAL INFORMATION

AVAILABLE MARKET
CE

CABLE SECTION ADMITTED (MM)
From 1,5 to 2,5 mm

NUMBER OF POSSIBLE ELEMENTS
1 element

INDICATOR FUNCTION
No

CURRENT (A)
10 AX

IP RATING
IP20

MAINTENANCE
Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

TYPE OF MECHANISM
Pivoting

OPERATING TEMPERATURE RANGE (°C)
5 - 40 °C

STORAGE TEMPERATURE RANGE (°C)
-25 - 50 °C

VERSION
Single

INSTALLATION AND MAINTENANCE

CABLE STRIPPING NECESSARY (MM)
9

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX
Universal

INSTALLATION TYPE
Suitable for surface and flush mounting

TYPE OF TERMINAL CONNECTION - FUNCTION 1
Fast

REGULATIONS

REGULATIONS
UNE-EN 60669-1:2002 + A1:2003 + A2:2009

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WIDTH
0

UNITARY PACKAGING LENGTH
0

UNITARY PACKAGING VOLUME
0

UNITARY PACKAGING GROSS WEIGHT
0.072

PRODUCT NET WEIGHT
0.072

UNITARY PACKAGING WEIGHT UNIT
KGM

PACKAGING EAN
8421053081105

UNITS CONTAINED PACKAGING
10

PACKAGING HEIGHT
82

PACKAGING WIDTH
165

PACKAGING LENGTH
223

PACKAGING MEASUREMENT UNIT
MMT

PACKAGING VOLUME
3.017

PACKAGING VOLUME UNIT
DMQ

PACKAGING GROSS WEIGHT
0

PACKAGING NET WEIGHT
0.72

PACKAGING WEIGHT UNIT
KGM