
Adaptor plate for Simon 27 mechanical mechanisms for 2 elements white Simon 500 Cima

REF. **50000088-030**



BASIC INFORMATION

DESCRIPTION

Adaptor plate for Simon 27 Play mechanisms, for two elements and in a beautiful white finish of colour, it is part of the Simon 500 Cima series. In the case of installing electronic mechanisms of the Simon 27 Play series is essential resorting to the reference 50011088-030. This is the version of the plate Simon of two elements and 2 modules, has dimensions of 100 x 50 millimetres and a depth of 9,62 millimetres. It is manufactured from thermoplastic components, without any type of halogens. These materials they bet for the security during operation, as it avoids the flame spread in case of fire management and restrict the toxicity. The plate can withstand temperatures extremely high. In the case of which is installed in surface-mounted can withstand up to + 60 degrees centigrade. For its installation, recessed, the plate can support up to + 90 degrees centigrade temperature. The maintenance of this product is very simple, as only you need to clean it with a soft and dry cloth.

FINISH

White

MATERIAL

Plastic

COMPATIBILITY

Simon 27 Play mechanical mechanisms

PACKAGING CONTENTS

Adaptor plate for Simon 27 mechanical mechanisms for 2 elements

ETIM CLASS

EC002649

REMARKS

If installing Simon 27 Play electronic mechanisms, you will need to use article no. 50011088-030

TECHNICAL INFORMATION

AVAILABLE MARKET
CE

AVAILABLE IN
Adaptor for Simon 27 Play mechanical mechanisms for 1 and 2 elements, with a specific version for Simon 27 Play electronic mechanisms for 1 element

MAX TEMP DURING CONSTRUCTION WORK (ºC)
+60 ºC in surface-mount wall installation and +90 ºC in flush-mount wall installation

IP RATING
IP20

KIT AVAILABILITY
No

MAINTENANCE
Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

TEMPERATURE RANGE DURING INSTALLATION (ºC)
-5 to 60 ºC

NUMBER OF MODULES
2

RAL
9003

VERSION
2 elements

INSTALLATION AND MAINTENANCE

TYPE OF FASTENING
By direct snap-fit in the selected enclosure (no tools needed for fastening))

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX
Specific Simon 500 Cima

INSTALLATION DIRECTION
Vertical, corresponding with the direction of the mechanisms

INSTALLATION TYPE
Suitable for surface or flush-mount installation

REMOVAL OF THE PLATE
Only with tool

REGULATIONS

REGULATIONS
UNE-EN 60.670-1:2006

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WIDTH
0

UNITARY PACKAGING LENGTH
0

UNITARY PACKAGING VOLUME
0

UNITARY PACKAGING GROSS WEIGHT
0.015

PRODUCT NET WEIGHT
0.015

UNITARY PACKAGING WEIGHT UNIT
KGM

PACKAGING EAN
8421053095584

UNITS CONTAINED PACKAGING
10

PACKAGING HEIGHT
88

PACKAGING WIDTH
123

PACKAGING LENGTH
136

PACKAGING MEASUREMENT UNIT
MMT


PACKAGING VOLUME
1472064

PACKAGING VOLUME UNIT
MMQ

PACKAGING GROSS WEIGHT
0

PACKAGING NET WEIGHT
0.15

PACKAGING WEIGHT UNIT
KGM


50
100
18,62
10,7