

Push-button switch with light symbol 10A 250V~, built-in light and fast terminal connection system white Simon 31

REF. 31661-30



BASIC INFORMATION

DESCRIPTION

The series Simon 31 presents the push-button switch with light engraving, built in LED system and tilting quick terminal connection that measures 64x65 and is available in a few versatile finishes white in colour, in addition, it is made of metal materials of great quality which have thermoplastic insulation, halogen-free and the trim is made of thermoset. For this reason, it is compatible with components of up to 250 V of voltage and 10 AX of intensity. To keep the piece in perfect condition, we recommend cleaning with a soft cloth slightly moistened in soapy water. If you were looking fill your home of solutions practical and functional in a few designs that you never pass fashionable, you have reached the collection correct. Simon 31 has become a series of reference for those who want to the best value for money on the market.

FINISH

White

COMPATIBILITY

Simon 31 frames

ETIM CLASS

EC000029

MATERIAL

Thermoplastic

PACKAGING CONTENTS

Mechanism with rocker

REMARKS

Can be combined with article 31802-31 if replacing the light indicator.

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

CURRENT (A)

10 AX

OPERATING TEMPERATURE RANGE (°C)

5 - 40 °C

CABLE SECTION ADMITTED (MM)

From 1,5 to 2,5 mm

IP RATING

IP20

STORAGE TEMPERATURE RANGE (°C)

-25 - 50 °C

CONSUMPTION INDICATOR (mA)

1 mA

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

VERSION

Single

NUMBER OF POSSIBLE ELEMENTS

1 element

TYPE OF MECHANISM

Pivoting

VOLTAGE (V~)

250 V~

INDICATOR FUNCTION

Yes

INSTALLATION AND MAINTENANCE

CABLE STRIPPING NECESSARY (MM)

11

INSTALLATION TYPE

Suitable for surface and flush mounting

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

Universal

TYPE OF TERMINAL CONNECTION - FUNCTION 1

Fast

REGULATIONS

REGULATIONS

UNE-EN 60669-1:2002 + A1:2003 + A2:2009

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WEIGHT
UNIT
KGM

PACKAGING MEASUREMENT
UNIT
MMT

UNITARY PACKAGING WIDTH
0

PACKAGING EAN
8421053006474

PACKAGING VOLUME
3026595

UNITARY PACKAGING LENGTH
0

UNITS CONTAINED PACKAGING
10

PACKAGING VOLUME UNIT
MMQ

UNITARY PACKAGING VOLUME
0

PACKAGING HEIGHT
83

PACKAGING GROSS WEIGHT
0.805

UNITARY PACKAGING GROSS
WEIGHT
0.079

PACKAGING WIDTH
165

PACKAGING NET WEIGHT
0.79

PRODUCT NET WEIGHT
0.079

PACKAGING LENGTH
221

PACKAGING WEIGHT UNIT
KGM