

SLIM SYSTEM modular luminaire Blind section 0.75 m White

REF. 90094001-000



BASIC INFORMATION

BODY MATERIAL

Die-cast aluminium

PACKAGING CONTENTS

1 Unit

APPLICATION

Domestic, Office, Retail, Hotel, Contract

PACKAGING DIMENSIONS (MM)

80x84x1465 mm

TECHNICAL INFORMATION

IP RATING

IP20

RAL

9016

ENERGY EFFICIENCY

A+

OPERATING TEMPERATURE RANGE (°C)

0 - 40 °C

DIRECTIONAL

No

PHOTOBIOLOGICAL CLASSIFICATION

Class II

DRIVER INCLUDED

No

INSTALLATION AND MAINTENANCE

INSTALLATION TYPE

Suspended

REGULATIONS

EAC MARKED

Yes

ECORRAE MARKED

No

WARRANTY

5 years

LOGISTICS INFORMATION

UNITARY EAN CODE

8436547030422

UNITARY PACKAGING HEIGHT

0

UNITARY PACKAGING WIDTH

0

UNITARY PACKAGING LENGTH

0

UNITARY PACKAGING VOLUME

0

UNITARY PACKAGING GROSS WEIGHT

1.13

PRODUCT NET WEIGHT

0.906

UNITARY PACKAGING WEIGHT UNIT

KGM

PACKAGING EAN

8436547030422

UNITS CONTAINED PACKAGING

1

PACKAGING HEIGHT

79

PACKAGING WIDTH

79

PACKAGING LENGTH

1430

PACKAGING MEASUREMENT UNIT

MMT

PACKAGING VOLUME

2.59

PACKAGING VOLUME UNIT

MMQ

PACKAGING GROSS WEIGHT

0.99

PACKAGING NET WEIGHT

0.906

PACKAGING WEIGHT UNIT

KGM