

2RCA connector female with trim plate white Simon K45

REF. K101B/9



BASIC INFORMATION

DESCRIPTION

The 2 female RCA connectors with trim plate and insertion screw-terminal connection, with finishes in white dimensions of 22.5x45 mm that form part of the collection Simon K45. Also, has been made of metal materials with halogen-free insulation self-extinguishing thermoplastic to ensure that no flame spread if there is any fire, together with a extremely low toxicity in case of smoke. Finally, you can combine the voice and data plate in vertical enclosures using the 90° positioner to be able to guide the piece in the position corresponding. Do not forget to which the maximum length of cabling recommended is 30 meters. The series Simon K45 has been created to offer mechanisms of the curve with the highest quality. Due to all this, if you were looking for the best solutions workplace solutions for your home, you will not be able to veined one of our collections more advanced. Trust/Confident in the experience of a great brand and you comply with less.

FINISH

White

COMPATIBILITY

Simon K45 enclosures for installation in the wall, floor, ceiling and furniture and Simon 500 Cima enclosures (need to be combined with the K45 to 500 Cima adaptor ref.50012088-030)

PACKAGING CONTENTS

2 female RCA, wire cable tie and instruction sheet

ETIM CLASS

EC000018

REMARKS

Maximum wire length recommended; 30 meters For additional information, please read the product instruction sheet

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

FORMAT

RCA

RAL

9003

CABLE SECTION ADMITTED (MM)

From 0,2 to 0,5 mm

IP RATING

IP20

STORAGE TEMPERATURE RANGE

(°C)

-25 - 50 °C

CONNECTOR TYPE

RCA

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

VERSION

Single

NUMBER OF CONTACTS

6

NUMBER OF WIRES

6

NUMBER OF POSSIBLE ELEMENTS

1/2 element

OPERATING TEMPERATURE RANGE (°C)

5 - 40 °C

INSTALLATION AND MAINTENANCE

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

Universal, specific Simon K45 and specific Simon 500 Cima using adaptor (ref.50012088-030)

INSTALLATION TYPE

Suitable for surface and flush mounting

REGULATIONS

REGULATIONS

Dir. 2011/65/UE RoHS + post. mod. | EN IEC 63000:2018

LOGISTICS INFORMATION

UNITARY EAN CODE

8426436064669

UNITARY PACKAGING WEIGHT
UNIT

KGM

PACKAGING MEASUREMENT
UNIT

MMT

UNITARY PACKAGING HEIGHT

0

PACKAGING EAN

8426436064669

PACKAGING VOLUME

0.012

UNITARY PACKAGING WIDTH

0

UNITS CONTAINED PACKAGING

1

PACKAGING VOLUME UNIT

HLT

UNITARY PACKAGING LENGTH

0

PACKAGING HEIGHT

50

PACKAGING GROSS WEIGHT

0.022

UNITARY PACKAGING VOLUME

0

PACKAGING WIDTH

42

PACKAGING NET WEIGHT

0.022

UNITARY PACKAGING GROSS
WEIGHT

0.022

PACKAGING LENGTH

50

PACKAGING WEIGHT UNIT

KGM

PRODUCT NET WEIGHT

0.022