

Spotlight 740.01 Rail 3000 K Wide Flood Black

REF. 74001038-483



BASIC INFORMATION

DESCRIPTION

The Spotlight 740.01 Rail 3000K Wide Flood Black is one of those few spotlights on the market capable of offering a type Wide Flood optics with a lighting efficiency of 89. This allows you to offer an angle of opening the light beam of 47 degrees at the same time as the spotlight works with just 20 W of power. The emission lumens / watt is 1780lm / 20 W, a number quite interesting also.

It is a spotlight whose aspect is very attractive to all types of spaces.; this is thanks to three factors fundamentally: The black colour with textured paint, the manufacture in aluminium of the highest quality of the spotlight body and the high thermal design with which account. The result is a spotlight resistant to have a long service life, as the luminaire has a service life of at least 30000 hours at a constant temperature.

Its installation is of type rail and therefore is very quickly and easy to do. Not to mention also that its colour temperature is 3000 K and that is why the white light it emits is of type warm, very pleasant and cosy. It is a spotlight, ideal for commercial premises or restaurants, among other spaces.

APPLICATION

Accent lighting, General lighting

ETIM CLASS

EC001744

REMARKS

This version is only available on request. For information on terms please contact our commercial representatives.

TECHNICAL INFORMATION

IP RATING

IP20

COLOR TYPE

WW

OPTICS

Wide Flood

COLOR TEMPERATURE (K)

3000 K

LIGHTING EFFICIENCY (LM/W)

89 lm/W

PHOTOBIOLOGICAL CLASSIFICATION

Exempt category

CRI

80

LUMENS (LM)

1780 lm

POWER (W)

20 W

L70 (°C)

30,000 h at 25 °C

LUMENS/W

1780lm/20W

SERVICE LIFE

30 000 h

CHROMATICS CRI ICONS

CRI
80

INSTALLATION AND MAINTENANCE

INSTALLATION TYPE

Rail

LOGISTICS INFORMATION

UNITARY EAN CODE

8421053215616

UNITARY PACKAGING WEIGHT
UNIT

KGM

PACKAGING MEASUREMENT
UNIT

MMT

UNITARY PACKAGING HEIGHT

0

PACKAGING EAN

8421053215616

PACKAGING VOLUME

4624000

UNITARY PACKAGING WIDTH

0

UNITS CONTAINED PACKAGING

1

PACKAGING VOLUME UNIT

MMQ

UNITARY PACKAGING LENGTH

0

PACKAGING HEIGHT

250

PACKAGING GROSS WEIGHT

0.8

UNITARY PACKAGING VOLUME

0

PACKAGING WIDTH

136

PACKAGING NET WEIGHT

0.6

UNITARY PACKAGING GROSS
WEIGHT

0.8

PACKAGING LENGTH

136

PACKAGING WEIGHT UNIT

KGM

PRODUCT NET WEIGHT

0.6