

Plate for electronic rotary voltage regulator up to 1000W/VA ivory Simon 75

REF. 75035-31



BASIC INFORMATION

DESCRIPTION

Plate for the electronic rotary voltage regulator of the Simon 75 series is available in 3 finishes, it is recommended to choose a frame with the same baseboard colour as the selected plate. The plate for the electronic voltage regulator is of individual version, this model of plate for regulator includes 1 element, but does not contain any module or signaling function. The limit of the recommended temperature range is from 5°C to 40°C reaching maximum temperatures of -25 to 50°C. It is suitable for installations in surface mounting or flush mounting. The electronic rotary regulator with plate installation applies the regulation UNE-EN 60669-1: 2002 + A1: 2003 + A2: 2009. The main manufacturing material is thermoplastic, with a plastic ivory finish. The for the regulator plate can support up to 1000W / VA. For the correct maintenance of the plate it is recommended to use a soft cloth slightly moistened in soapy water for the electronic regulator plate does not include any engraving.

FINISH

Ivory

MATERIAL

Thermostable

PACKAGING CONTENTS

Plate

SYMBOL

Without engravings

COMPATIBILITY

Simon 75 mechanisms

ETIM CLASS

EC000011

REMARKS

Available in 3 finishes. It is recommended to choose a frame with a base the same colour as the selected rocker.

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

IP RATING

IP20

OPERATING TEMPERATURE RANGE (°C)

5 - 40 °C

NUMBER OF POSSIBLE ELEMENTS

1 element

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

STORAGE TEMPERATURE RANGE (°C)

-25 - 50 °C

INDICATOR FUNCTION

No

VERSION

Single

INSTALLATION AND MAINTENANCE

INSTALLATION DIRECTION

Horizontal, Vertical

INSTALLATION TYPE

Suitable for surface and flush mounting

REGULATIONS

REGULATIONS

Dir. 2014/35/UE LVD | Dir. 2014/30/UE EMC | Dir. 2011/65/UE RoHS + post. mod. | EN 60669-2-1:2004 | EN 60669-2-1:2004 A1:2009 | EN 60669-2-1:2004 A12:2010 | EN IEC 63000:2018

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT

0

PRODUCT NET WEIGHT

0.026

PACKAGING MEASUREMENT UNIT

MMT

UNITARY PACKAGING WIDTH

0

UNITARY PACKAGING WEIGHT UNIT

KGM

PACKAGING VOLUME

777852

UNITARY PACKAGING LENGTH

0

PACKAGING EAN

8421053029589

PACKAGING VOLUME UNIT

MMQ

UNITARY PACKAGING VOLUME

777852

UNITS CONTAINED PACKAGING

5

PACKAGING GROSS WEIGHT

0.13

UNITARY PACKAGING VOLUME UNIT

MMQ

PACKAGING HEIGHT

62

PACKAGING NET WEIGHT

0.13

UNITARY PACKAGING GROSS WEIGHT

0.026

PACKAGING WIDTH

82

PACKAGING WEIGHT UNIT

KGM

PACKAGING LENGTH

153